



DI-614+

Firmware version 2.20



**DI-614+**
Enhanced 2.4GHz Wireless Router



Wizard
Wireless
WAN
LAN
DHCP

Home**Advanced****Tools****Status****Help**

WAN Settings

Please select the appropriate option to connect to your ISP.

☒ Dynamic IP Address

Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

☐ Static IP Address

Choose this option to set static IP information provided to you by your ISP.

☐ PPPoE

Choose this option if your ISP uses PPPoE. (For most DSL users)

☐ Others

PPTP and BigPond Cable

☐ PPTP

(for Europe use only)

☐ BigPond Cable

(for Australia use only)

Dynamic IP

Host Name

DI-614+ (optional)

MAC Address

00 - 80 - C8 - B7 - F7 - 55 (optional)

Clone MAC Address

Primary DNS Address

0.0.0.0

Secondary DNS Address

0.0.0.0 (optional)

MTU

1500



Apply **Cancel** **Help**

Capture Eye. Capture Solution. SProsoft. <http://www.sprosoft.com>

**DI-614+**
Enhanced 2.4GHz Wireless Router



Wizard
Wireless
WAN
LAN
DHCP

Home**Advanced****Tools****Status****Help**

WAN Settings

Please select the appropriate option to connect to your ISP.

☐ Dynamic IP Address

Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

☒ Static IP Address

Choose this option to set static IP information provided to you by your ISP.

☐ PPPoE

Choose this option if your ISP uses PPPoE. (For most DSL users)

☐ Others

PPTP and BigPond Cable

☐ PPTP

(for Europe use only)

☐ BigPond Cable

(for Australia use only)

Static IP

IP Address

0.0.0.0 (assigned by your ISP)

Subnet Mask

0.0.0.0

ISP Gateway Address

0.0.0.0

Primary DNS Address

0.0.0.0

Secondary DNS Address

0.0.0.0 (optional)

MTU

1500



Apply **Cancel** **Help**

**DI-614+**
Enhanced 2.4GHz Wireless Router



Wizard

Wireless

WAN

LAN

DHCP

HomeAdvancedToolsStatusHelp

WAN Settings

Please select the appropriate option to connect to your ISP.

☐ Dynamic IP Address

Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

☐ Static IP Address

Choose this option to set static IP information provided to you by your ISP.

☒ PPPoE

Choose this option if your ISP uses PPPoE. (For most DSL users)

☐ Others

PPTP and BigPond Cable

☐ PPTP

(for Europe use only)

☐ BigPond Cable

(for Australia use only)

PPPoE

☒ Dynamic PPPoE

☐ Static PPPoE

User Name

Password

Retype Password

Service Name (optional)

IP Address

0.0.0.0

Primary DNS Address

0.0.0.0

Secondary DNS Address

0.0.0.0

 (optional)

Maximum Idle Time

0

 Minutes

MTU

1492

Auto-reconnect

☒ Enabled ☐ Disabled



ApplyCancelHelp

**DI-614+**
Enhanced 2.4GHz Wireless Router



Wizard

Wireless

LAN

DHCP

HomeAdvancedToolsStatusHelp

LAN Settings

The IP address of the DI-614+.

IP Address

192.168.0.1

Subnet Mask

255.255.255.0

Local Domain Name (optional)



ApplyCancelHelp



D-Link
Building Networks for People

DI-614+
Enhanced 2.4GHz Wireless Router



Wizard

Wireless

WAN

LAN

DHCP

Home
Advanced
Tools
Status
Help

DHCP Server

The DI-614+ can be setup as a DHCP Server to distribute IP addresses to the LAN network.

DHCP Server ☒ Enabled ☐ Disabled

Starting IP Address 192 . 168 . 0 .

Ending IP Address 192 . 168 . 0 .

Lease Time

Static DHCP

Static DHCP is used to allow DHCP server to assign same IP address to specific MAC address.

☐ Enabled ☒ Disabled

Name

IP 192 . 168 . 0 .

MAC Address - - - - -

DHCP Client

Static DHCP Client List

Host Name	IP Address	MAC Address
STEVEN	192.168.0.100	00-80-C8-4E-96-26
unknown	192.168.0.185	00-05-5D-6A-BD-CA
unknown	192.168.0.181	00-80-C8-D1-D5-19
unknown	192.168.0.179	00-80-C8-DA-11-E3
unknown	192.168.0.178	00-05-5D-57-51-AA
unknown	192.168.0.177	00-05-5D-57-51-A1
unknown	192.168.0.174	00-80-C8-F7-5D-A4
unknown	192.168.0.170	00-05-5D-22-BB-43
unknown	192.168.0.169	00-00-E2-30-6B-14
unknown	192.168.0.167	00-E0-29-94-67-27
unknown	192.168.0.162	00-50-BA-15-AB-CF
unknown	192.168.0.160	00-00-E2-5B-EA-21
unknown	192.168.0.156	00-80-C8-27-41-29
unknown	192.168.0.151	00-05-5D-D0-C7-8C

Dynamic DHCP Client List

Host Name	IP Address	MAC Address	Expired Time
STEVEN	192.168.0.100	00-80-C8-4E-96-26	Apr/08/2002 00:00:16
unknown	192.168.0.185	00-05-5D-6A-BD-CA	Apr/08/2002 00:00:00
unknown	192.168.0.181	00-80-C8-D1-D5-19	Apr/08/2002 00:00:00
unknown	192.168.0.179	00-80-C8-DA-11-E3	Apr/08/2002 00:00:00
unknown	192.168.0.178	00-05-5D-57-51-AA	Apr/08/2002 00:00:00
unknown	192.168.0.177	00-05-5D-57-51-A1	Apr/08/2002 00:00:00
unknown	192.168.0.174	00-80-C8-F7-5D-A4	Apr/08/2002 00:00:00
unknown	192.168.0.170	00-05-5D-22-BB-43	Apr/08/2002 00:00:00
unknown	192.168.0.169	00-00-E2-30-6B-14	Apr/08/2002 00:00:00
unknown	192.168.0.167	00-E0-29-94-67-27	Apr/08/2002 00:00:00
unknown	192.168.0.162	00-50-BA-15-AB-CF	Apr/08/2002 00:00:00
unknown	192.168.0.160	00-00-E2-5B-EA-21	Apr/08/2002 00:00:00
unknown	192.168.0.156	00-80-C8-27-41-29	Apr/08/2002 00:00:00
unknown	192.168.0.151	00-05-5D-D0-C7-8C	Apr/08/2002 00:00:00

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help



Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Virtual Server

Virtual Server is used to allow Internet users access to LAN services.

☐ Enabled ☐ Disabled

Name

Clear

Private IP

Protocol Type

TCP

Private Port

Public Port

Schedule

☐ Always

☐ From time

00

:

00

AM

 to

00

:

00

AM

day

Sun

 to

Sun



Apply Cancel Help

Virtual Servers List

Name	Private IP	Protocol	Schedule	
☐ Virtual Server FTP	0.0.0.0	TCP 21/21	always	 
☐ Virtual Server HTTP	0.0.0.0	TCP 80/80	always	 
☐ Virtual Server HTTPS	0.0.0.0	TCP 443/443	always	 
☐ Virtual Server DNS	0.0.0.0	UDP 53/53	always	 
☐ Virtual Server SMTP	0.0.0.0	TCP 25/25	always	 
☐ Virtual Server POP3	0.0.0.0	TCP 110/110	always	 
☐ Virtual Server Telnet	0.0.0.0	TCP 23/23	always	 
☐ IPsec	0.0.0.0	UDP 500/500	always	 
☐ PPTP	0.0.0.0	TCP 1723/1723	always	 
☐ NetMeeting	0.0.0.0	TCP 1720/1720	always	 
☐ DCS-1000	0.0.0.0	TCP 80/80	always	 
☐ DCS-2000	0.0.0.0	TCP 80/80	always	 
☐ DVC-1000	0.0.0.0	TCP 1720/1720	always	 



DI-614+
Enhanced 2.4GHz Wireless Router



Virtual Server
Applications
Filters
Firewall
DMZ
Performance

Home Advanced Tools Status Help

Special Application
Special Application is used to run applications that require multiple connections.

☐ Enabled ☐ Disabled

Name

Trigger Port -

Trigger Type

Public Port

Public Type

☒ ☐ ☐

Apply Cancel Help

Special Applications List

NAME	Trigger	Public	
☐ Battle.net	6112	6112	
☐ Dialpad	7175	51200-51201,51210	
☐ ICU II	2019	2000-2038,2050-2051,2069,2085,3010-3030	
☐ MSN Gaming Zone	47624	2300-2400,28800-29000	
☐ PC-to-Phone	12053	12120,12122,24150-24220	
☐ Quick Time 4	554	6970-6999	



DI-614+
Enhanced 2.4GHz Wireless Router



Virtual Server
Applications
Filters
Firewall
DMZ
Performance

Home Advanced Tools Status Help

Filters
Filters are used to allow or deny LAN users from accessing the Internet.

☒ IP Filters ☐ URL Blocking
☐ MAC Filters ☐ Domain Blocking

IP Filters
Use IP Filters to deny LAN IP addresses access to the Internet.

☐ Enabled ☐ Disabled

IP -

Port -

Protocol Type

Schedule ☐ Always

From time : AM to : AM
day to

☒ ☐ ☐

Apply Cancel Help

IP Filter List

	IP Range	Protocol	Schedule	
☐	*	TCP 20-21	always	
☐	*	TCP 80	always	
☐	*	TCP 443	always	
☐	*	UDP 53	always	
☐	*	TCP 25	always	
☐	*	TCP 110	always	
☐	*	TCP 23	always	

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Filters

Filters are used to allow or deny LAN users from accessing the Internet.

☐ IP Filters

☐ URL Blocking

☒ MAC Filters

☐ Domain Blocking

MAC Filters

Use MAC address to allow or deny computers access to the network.

☒ Disabled MAC Filters

☐ Only **allow** computers with MAC address listed below to access the network

☐ Only **deny** computers with MAC address listed below to access the network

Name

Clear

MAC Address

-

-

-

-

DHCP Client

STEVEN,00-80-C8-4E-96-26

Clone

MAC Filter List

Name

MAC Address

Apply

Cancel

Help

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Filters

Filters are used to allow or deny LAN users from accessing the Internet.

☐ IP Filters

☒ URL Blocking

☐ MAC Filters

☐ Domain Blocking

URL Blocking

Block those URLs which contain keywords listed below.

☐ Enabled

☒ Disabled

Delete

Apply

Cancel

Help

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help



Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Filters

Filters are used to allow or deny LAN users from accessing the Internet.

☐ IP Filters

☐ URL Blocking

☐ MAC Filters

☒ Domain Blocking

Domain Blocking

☒ Disabled

☐ Allow users to access all domains except "Blocked Domains"

☐ Deny users to access all domains except "Permitted Domains"

Permitted Domains

Delete

Blocked Domains

Delete







Apply Cancel Help

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Firewall Rules

Firewall Rules can be used to allow or deny traffic from passing through the DI-614+.

☐ Enabled ☐ Disabled

Name

Action ☐ Allow ☐ Deny

Interface IP Range Start IP Range End Protocol Port Range

Source

Destination

Schedule ☐ Always

☐ From time : : AM to : : AM

day to

Firewall Rules List

✓

✗

+

Apply

Cancel

Help

Action	Name	Source	Destination	Protocol
☒	Allow	Allow to Ping WAN port	WAN,*	LAN,192.168.0.1
☒	Deny	Default	*,*	LAN,*
☒	Allow	Default	LAN,*	*,*

Capture Eye. Capture Solution. SProsoft. <http://www.sprosoft.com>

**DI-614+**
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

Virtual Server

Applications

Filters

Firewall

DMZ

Performance

DMZ

DMZ (Demilitarized Zone) is used to allow a single computer on the LAN to be exposed to the Internet.

☐ Enabled ☒ Disabled

IP Address

✓

✗

+

Apply

Cancel

Help



D-Link
Building Networks for People

DI-614+
Enhanced 2.4GHz Wireless Router

Home Advanced Tools Status Help

Wireless Performance

These are the Wireless Performance features for the AP(Access Point) Portion.

Beacon interval: 100 (msec, range:1~1000, default:100)

DTIM interval: 3 (range: 1~255, default:3)

Basic Rates: ☐ 1-2(Mbps) ☒ 1-2-5.5-11(Mbps) ☐ 1-2-5.5-11-22(Mbps)

TX Rates: ☐ 1-2(Mbps) ☐ 1-2-5.5-11(Mbps) ☒ 1-2-5.5-11-22(Mbps)

Preamble Type: ☒ Short Preamble ☐ Long Preamble

Authentication: ☐ Open System ☐ Shared Key ☒ Auto

SSID Broadcast: ☒ Enabled ☐ Disabled

Antenna transmit power: 100% 17dBm

4X Mode: ☒ Enabled ☐ Disabled

Apply Cancel Help



D-Link
Building Networks for People

DI-614+
Enhanced 2.4GHz Wireless Router

Home Advanced Tools Status Help

Admin

Time

System

Firmware

Misc.

Administrator Settings

Administrators can change their login password.

Administrator (The Login Name is "admin")

New Password:

Confirm Password:

User (The Login name is "user")

New Password:

Confirm Password:

Remote Management

☐ Enabled ☒ Disabled

IP Address: *

Port: 8080

Apply Cancel Help



DI-614+
Enhanced 2.4GHz Wireless Router



Admin
Time
System
Firmware
Misc.

Home Advanced **Tools** Status Help

Time
Set the DI-614+ system time.

Local Time Apr/01/2002 00:14:06

Time Zone (GMT-08:00) Pacific Time (US & Canada) ▼

Default NTP Server (optional)

Set the Time
Year 2002 ▼ Month Apr ▼ Day 01 ▼
Hour 00 ▼ Minute 14 ▼ Second 06 ▼

Daylight Saving
☐ Enabled ☒ Disabled
Start Jan ▼ 01 ▼ End Jan ▼ 01 ▼



DI-614+
Enhanced 2.4GHz Wireless Router



Admin
Time
System
Firmware
Misc.


Home Advanced **Tools** Status Help

System Settings

Save Settings To Local Hard Drive

Load Settings From Local Hard Drive

Restore To Factory Default Settings





Building Networks for People

DI-614+
Enhanced 2.4GHz Wireless Router



Admin

Time

System

Firmware

Misc.

HomeAdvancedToolsStatusHelp

Ping Test
Ping Test is used to send "Ping" packets to test if a computer is on the Internet.
Host Name or IP address

Restart Device
Reboots the DI-614+.

Block WAN Ping
When you "Block WAN Ping", you are causing the public WAN IP address on the DI-614+ to not respond to ping commands. Pinging public WAN IP addresses is a common method used by hackers to test whether your WAN IP address is valid.
Discard PING from WAN side ☐ Enabled ☒ Disabled

UPNP Settings
☒ Enabled ☐ Disabled

Gaming Mode
☒ Enabled ☐ Disabled

VPN Pass-Through
Allows VPN connections to work through the DI-614+.
PPTP☒ Enabled ☐ Disabled
IPSec☒ Enabled ☐ Disabled

Dynamic DNS
DDNS ☐ Enabled ☒ Disabled
Server Address
Host Name
Username
Password



Apply Cancel Help


Building Networks for People



Device Info

Log

Stats

Wireless

DI-614+
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

Device Information

Firmware Version: 2.20 , Thu, 17 Jun 2003

LAN

MAC Address 00-80-C8-B7-F7-54

IP Address 192.168.0.1

Subnet Mask 255.255.255.0

DHCP Server Enabled

WAN

MAC Address 00-80-C8-B7-F7-55

Connection DHCP Client Disconnected

DHCP Release

DHCP Renew

IP Address 0.0.0.0

Subnet Mask 0.0.0.0

Default Gateway 0.0.0.0

DNS

Wireless

MAC Address 00-80-C8-B6-91-AD

SSID default

Channel 6

WEP Disabled


Help



Building Networks for People



Device Info

Log

Stats

Wireless

DI-614+
Enhanced 2.4GHz Wireless Router

Home

Advanced

Tools

Status

Help

View Log

View Log displays the activities occurring on the DI-614+. Click on Log Settings for advance features.

First Page

Last Page

Previous

Next

Clear

Log Settings

Help

page 1 of 10

Time	Message	Source	Destination	Note
Apr/01/2002 00:15:09	DHCP Discover			
Apr/01/2002 00:15:08	DHCP Discover no response			
Apr/01/2002 00:15:07	DHCP Discover			
Apr/01/2002 00:14:34	DHCP Discover			
Apr/01/2002 00:14:17	DHCP Discover			
Apr/01/2002 00:14:08	DHCP Discover			
Apr/01/2002 00:14:04	DHCP Discover			
Apr/01/2002 00:14:03	DHCP Discover no response			
Apr/01/2002 00:14:02	DHCP Discover			
Apr/01/2002 00:13:29	DHCP Discover			


Building Networks for People



Device Info

Log

Stats

Wireless

HomeAdvancedToolsStatusHelp

Traffic Statistics
Traffic Statistics display Receive and Transmit packets passing through the DI-614+.

RefreshReset

	Receive	Transmit
WAN	0 Packets	73 Packets
LAN	1215 Packets	1666 Packets
WIRELESS	0 Packets	657 Packets


Help


Building Networks for People



Device Info

Log

Stats

Wireless

HomeAdvancedToolsStatusHelp

Connected Wireless Client List
The Wireless Client table below displays Wireless clients Connected to the AP (Access Point).

Connected Time	MAC Address
----------------	-------------


Help



Building Networks for People

DI-614+
Enhanced 2.4GHz Wireless Router


Menu

Home **Advanced** **Tools** **Status** **Help**

Home

- [Setup Wizard](#)
- [Wireless Settings](#)
- [WAN Settings](#)
- [LAN Settings](#)
- [DHCP Server](#)

Advanced

- [Virtual Server](#)
- [Special Applications](#)
- [Filters](#)
- [Firewall Rules](#)
- [DMZ](#)
- [Wireless Performance](#)

Tools

- [Administrator Settings](#)
- [System Time](#)
- [System Settings](#)
- [Firmware Upgrade](#)
- [Miscellaneous Items](#)

Status

- [Device Information](#)
- [Log](#)
- [Traffic Statistics](#)
- [Connected Wireless Client List](#)

FAQs