

Wireless 108G Storage Router

Share Files, Printers & Internet Connection

- **Integrated Functions With 6 Built-in Servers for DHCP, Personal Web, FTP, File/Printer/Multimedia Sharing**
- **Wirelessly Share Broadband Internet Connection**
- **2 USB 2.0 Ports to Connect to Storage Devices/Printers**
- **Advanced Network Security Protection Features**

FEATURES

High Speed Wireless Connection

- 802.11g Wireless Speeds Up to 54Mbps *
- D-Link 108G Wireless Speeds Up to 108Mbps **

Multiple Device Interfaces

- 2 USB 2.0 Ports for Hard Disks/Printer Connection
- 4 10/100BASE-TX Ethernet Ports for Computer Connection

6-In-One Integrated Functions

- File Server to Share Files/Disk Space
- FTP Server to Share Files
- Personal Web Server to Share Photos
- Printer Sharing
- UPnP AV Server to Share Video/Music
- DHCP Server to Share Internet Connection

Advanced Security

- WEP, WPA/WPA2 Data Encryption/Security
- Stateful Firewall Protection With SPI
- URL Blocking/Parental Control
- System Logging

Simple Setup

- Setup Wizard for Step-by-Step Installation
- Intuitive Web-Based Management Utility
- Supports Windows Connect Now to Simplify Wireless Setup
- Built-in Cable Tester to Ensure Proper Cable Connection

* Maximum wireless signal rate derived from IEEE Standard 802.11g specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead can lower actual data throughput rate.
** Up to 108Mbps when operating with other AirPlus XtremeG products.

With the D-Link DI-624S Wireless 108G Storage Router, you can create a personal web server for Internet users to access your favorite photos, and share files, music video and printers wirelessly across the rooms at home or in the office. This feature-packed router is equipped with high-speed USB ports for you to attach storage drives and printers to it. Powered by D-Link 108G Technology, it lets your family and office co-workers access files in your storage drives and print documents and web pages on your printers at wireless speeds of up to 108Megabits per second. **

Share Internet Access. The DI-624S Wireless 108G Storage Router creates an 802.11g wireless network and shares a single broadband Internet connection throughout your home or office. Using its built-in DHCP server, the router allows multiple users to logon to the web without the need to run wires to the broadband modem.

Share Disks and Printers. Through the USB ports, you can attach up to 2 hard disks or flash memory drives to this router as network storage. Files, photos and music can be saved in this network storage and shared across the network through the integrated FTP server or file server function. Or, you can save files in this network storage simply as backup copies. You can also connect a USB printer to this router for other users to access. The shared printer will print out their files or web pages directly from their computers.

Create Personal Web Site. The DI-624S comes with a built-in web server, so you can set up your own web site directly on this router. If you have a fixed IP address, setting up your personal web site is easy. The DI-624S supports Dynamic Domain Name Server (DDNS) to facilitate your web site name registration task. With a personal web site, you can now put in things like your family photos for friends from afar to look at through the Internet.

Music and Multimedia Center. With a built-in UPnP AV server, the DI-624S makes it easy to output your digital photos, video clips and MP3 inside your network storage to your high-quality audio/video system. Photos, streaming video and music output to your TV and stereo system can travel at high wireless speeds of up to 108Mbps from the DI-624S-attached disk drives and with Quality of Service (QoS) Wi-Fi™ Multi-Media (WMM) support. **

Network Security. The integrated advanced parental control allows everyone in your family to have a fun yet safe time accessing on-line content. For additional security, the DI-624S also provides Stateful Packet Inspection (SPI) firewall to help secure and protect your network from hackers and malicious attacks. Wireless data protection and user authentication are provided with WPA-PSK and the advanced WPA2 AES, besides the usual WEP encryption.

Easy Setup. Setting up your DI-624S is a straightforward process using the Setup Wizard and user-friendly web-based management utility. For computers running Windows XP Service Pack 2, take advantage of Windows Connect Now and simplify the configuration of your wireless settings. The DI-624S is Wi-Fi™ certified for industry wide interoperability, and is backward compatible with any existing 802.11b devices you may already own. The built in 4-port switch provides for ready connection to 4 Ethernet-enabled devices such as additional computers or network printers.



Specification Chart

| Hardware and Port Characteristics | |
|-----------------------------------|--|
| Memory | Flash: 4MB DRAM: 32MB |
| Device Interfaces | 4 10/100BASE-TX Ethernet LAN Ports With Auto MDI/MDIX 1 10/100BASE-TX Ethernet WAN Ports With Auto MDI/MDIX 2 USB 2.0 Type A Ports 802.11g Wireless LAN |
| Diagnostic LEDs | Power Status WAN WLAN LAN (Link/Activity) for Each LAN Port USB1, USB2 |

| Wireless Support | |
|----------------------------|---|
| Standards | IEEE 802.11g IEEE 802.11b |
| Data Rates | D-Link 108G: 108Mbps 802.11g Mode: 1Mbps to 54Mbps 802.11b Mode: 1Mbps to 11Mbps |
| Security/Data Encryption | WPA2 AES WPA TKIP 64/128-bit WEP |
| Quality of Service | Wi-Fi™ Multimedia (WMM) |
| Wireless Frequency Range | 2.4GHz to 2.4835GHz |
| Number of Channels | FCC: 2.412 to 2.462GHz (11 Channels) ETSI: 2.412 to 2.472GHz (13 Channels) TELEC: 2.412 to 2.484GHz (14 Channels) |
| Antenna | 2dBi Detachable Dipole Antenna (Reverse SMA Connector) |
| Wireless Operating Range * | Indoors: Up to 100 meters Outdoors: Up to 300 meters |


* Environmental factors may adversely affect wireless signal range.

Physical & Environmental

| | |
|-----------------------|---|
| Input Power | DC 5V3A Through External Power Adapter |
| Dimensions | 192 (L) x 118 (W) x 31 (H) mm (7.56 x 4.65 x 1.22 Inches) |
| Weight | 328 grams (Including Antenna) |
| Operating Temperature | 0° to 40°C |
| Storage Temperature | -20° to 70°C |
| Operating Humidity | 10% to 90% Non-Condensing |
| Storage Humidity | 0% to 95% Non-Condensing |
| Certification | FCC Class B CE C-Tick Wi-Fi™ |

| Software Functions | |
|----------------------------|--|
| WAN Connection Types | Static IP Address Dynamic IP Address (DHCP Client) PPP over Ethernet (PPPoE) PPTP L2TP Big Pond |
| Connection Schemes | Connect-on-Demand/Auto-Disconnect Manually Connect/Disconnect Auto-Reconnect |
| NAT Functionality | Virtual Server Special Application (Games) DMZ Host |
| Access Control | MAC-level Access Control Inbound/Outbound IP Filter Domain Access Control |
| Firewall | Stateful Firewall With SPI Mode DoS Detection |
| Event Logging | On-Web Logging |
| VPN Support | IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through |
| Routing | Static Route |
| Built-in Servers | File Server FTP Server Printer Sharing UPnP AV Server Personal Web Server |
| QoS Support | Protocol-Based MAC-Based Port-Based IP-Based |
| Installation/Setup Support | DDNS (Dynamic Domain Name Server) Support UPnP Support |
| Configuration/Management | Web-Based GUI Hardware Configuration Reset Button |
| Firmware Upgrade | Web-Based Windows Application |

Wireless 108G Storage Router



D-Link Worldwide Offices

U.S.A. TEL: 1-800-326-1688
Canada TEL: 1-905-8295033
Europe (U. K.) TEL: 44-20-8731-5555
Germany TEL: 49-6196-77990
France TEL: 33-1-30238688
Netherlands TEL: 46-(0)8564-61900
Belgium TEL: 32(0)2-517-7111
Italy TEL: 39-02-2900-0676
Sweden TEL: 46-(0)8564-61900
Denmark TEL: 45-43-969040
Norway TEL: 47-99-300-100
Finland TEL: 358-9-2707 5080
Spain TEL: 34-93-4090770
Portugal TEL: 351-21-8688493
Czech Republic TEL: 420-(603)-276-589
Switzerland TEL: 41-(0)-1-832-11-00
Greece TEL: 30-210-9914 512

FAX: 1-866-743-4905
 FAX: 1-905-8295223
 FAX: 44-20-8731-5511
 FAX: 49-6196-7799300
 FAX: 33-1-30238689
 FAX: 31-10-282-1331
 FAX: 32(0)2-517-6500
 FAX: 39-02-2900-1723
 FAX: 46-(0)8564-61901
 FAX: 45-43-424347
 FAX: 47-22-309580
 FAX: 358-9-2707-5081
 FAX: 34-93-4910795
 FAX: 41(0)-1-832-11-01
 FAX: 30-210-9916902

Luxemburg
Poland
Hungary
Singapore
Australia
India
Middle East (Dubai)
Turkey
Egypt
Israel
Latin America
Brazil
South Africa
Russia
China
Taiwan
Headquarters

TEL: 32-(0)2-517-7111
 TEL: 48-(0)-22-583-92-75
 TEL: 36-(0)-1-461-30-00
 TEL: 65-6774-6233
 TEL: 61-2-8899-1800
 TEL: 91-022-26526696
 TEL: 971-4-3916480
 TEL: 90-212-289-56-59
 TEL: 202-414-4295
 TEL: 972-9-9715700
 TEL: 56-2-232-3185
 TEL: 55-11-218-59300
 TEL: 27-12-665-2165
 TEL: 7-095-744-0099
 TEL: 86-10-58635800
 TEL: 886-2-2910-2626
 TEL: 886-2-2916-1600

FAX: 32-(0)2-517-6500
 FAX: 48-(0)-22-583-92-76
 FAX: 36-(0)-1-461-30-09
 FAX: 65-6774-6322
 FAX: 61-2-8899-1868
 FAX: 91-022-26528914
 FAX: 971-4-3908881
 FAX: 90-212-289-76-06
 FAX: 202-415-6704
 FAX: 972-9-9715601
 FAX: 56-2-232-0923
 FAX: 55-11-218-59322
 FAX: 27-12-665-2186
 FAX: 7-095-744-0099 #350
 FAX: 86-10-58635799
 FAX: 886-2-2910-1515
 FAX: 886-2-2914-6299