

DPH-C160S screenshots

(f/w 1.00.005DPH-AUS)

No IP assigned (DHCP)
Alternative IP 10.1.1.1

Username/password: admin/admin

The image displays two screenshots of the D-Link DPH-C160S web interface, accessed via a Microsoft Internet Explorer browser. The browser's address bar shows the URL `http://192.168.0.161/`. The interface features a navigation menu with tabs: Home, Advanced, Tools, Status, and Help. The 'LAN Settings' section is active, prompting the user to select an option to connect to their Internet access device.

Top Screenshot: Dynamic IP Address

LAN Settings
Please select the appropriate option to connect to your Internet access device.

☒ Dynamic IP Address
Choose this option to obtain an IP address automatically from your Internet access device. (For most Cable modem users)

☐ Static IP Address
Choose this option to set static IP information provided to you by your Internet access device.

Dynamic IP

Host Name: (optional)

MAC Address: 00 - 17 - 9a - b6 - e0 - da (optional)

Primary DNS Address: 192 - 168 - 0 - 249

Secondary DNS Address: 192 - 168 - 0 - 243 (optional)

☒ ☐ ☐

Apply Cancel Help

Bottom Screenshot: Static IP Address

LAN Settings
Please select the appropriate option to connect to your Internet access device.

☐ Dynamic IP Address
Choose this option to obtain an IP address automatically from your Internet access device. (For most Cable modem users)

☒ Static IP Address
Choose this option to set static IP information provided to you by your Internet access device.

Static IP

IP Address: 192 - 168 - 0 - 161 (assigned by your Internet access device)

Subnet Mask: 255 - 255 - 255 - 0

Default Gateway: 192 - 168 - 0 - 254

Primary DNS Address: 192 - 168 - 0 - 249

Secondary DNS Address: 192 - 168 - 0 - 243 (optional)

☒ ☐ ☐

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

VoIP

Misc.

SIP Configuration:

☒ Server Configuration ☐ Provisioning ☐ STUN Configuration ☐ User Agent ☐ Peer to Peer ☐ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

SIP Configuration-Server

Server FQDN enabled

IP Address 0 0 0 0

Domain Name

Port 5060

Outbound Proxy State enabled

Outbound Proxy Sever FQDN enabled

Outbound Proxy IP Address 0 0 0 0

Outbound Proxy Domain Name

Outbound Proxy Port 5060

Use DNS-SRV ☒ disabled ☐ enabled

DNS-SRV Query Domain

Service Domain

URL Format SIP-URL

User Parameter Phone disabled

Timer T2 4 sec

Initial Unregister enabled

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM

Address http://192.168.0.161/ Go

Timer T2 4 sec

Initial Unregister enabled

Register Expiration 240 sec

Session Expires 240 sec

Min-SE 180 sec

Session Expires Refresher uac

Codec Priority & Packet Interval

G.711a-law	3rd	20 ms
G.711u-law	2nd	20 ms
G.729a	1st	20 ms
G.726	4th	20 ms
iLBC	no-use	20 ms

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Home Search

Address http://192.168.0.161/ Go

D-Link
Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home Advanced Tools Status Help

SIP Configuration:

☐ Server Configuration ☒ Provisioning ☐ STUN Configuration ☐ User Agent ☐ Peer to Peer ☐ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

XML Provisioning

Provisioning Function disabled

SSL enabled

Server URL http://12.120.202.117/xmlinterfac

Proxy Address

Proxy Port Number 8080

Authentication Key 802BBEB0802BC3BC

Clear Key

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Home Search

Address http://192.168.0.161/ Go

D-Link
Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home Advanced Tools Status Help

SIP Configuration:

☐ Server Configuration ☐ Provisioning ☒ STUN Configuration ☐ User Agent ☐ Peer to Peer ☐ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

STUN Configuration

STUN State disabled

STUN Server IP Address 0 0 0 0

STUN Server Port 3478

STUN ReqInterval 60

STUN NAT Type Unknown

NAT Type Detect

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

SIP Configuration:
☐ Server Configuration ☐ Provisioning ☐ STUN Configuration ☒ User Agent ☐ Peer to Peer
☐ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

SIP Configuration - User Agent

Phone Number

Display Name

User Agent Port

Authentication Username

Password

Retype Password

  
Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

SIP Configuration:
☐ Server Configuration ☐ Provisioning ☐ STUN Configuration ☐ User Agent ☒ Peer to Peer
☐ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

Peer to Peer

Index 1

Phone Number

User IP Address @

Port

  
Apply Cancel Help

SIP - Peer to Peer

Index	Phone Number	User IP Address	Port	Edit	Delete
1		@ 0.0.0.0	5060		
2		@ 0.0.0.0	5060		
3		@ 0.0.0.0	5060		

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

SIP Configuration:
☐ Server Configuration ☐ Provisioning ☐ STUN Configuration ☐ User Agent ☐ Peer to Peer ☒ Telephony ☐ Call Forwarding ☐ Speed Dial/Contact List

SIP Telephony

DTMF Method

Payload Type

VAD

Country Code

Block Outgoing Caller ID

Incoming Caller ID

Do Not Disturb

☒ ☐ ☐

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

SIP Configuration:
☐ Server Configuration ☐ Provisioning ☐ STUN Configuration ☐ User Agent ☐ Peer to Peer ☐ Telephony ☒ Call Forwarding ☐ Speed Dial/Contact List

Call Forwarding

Call Forwarding Unconditional ☐ enabled ☒ disabled

Unconditional Number

Call Forwarding Busy ☐ enabled ☒ disabled

Busy Number

Call Forwarding No Answer ☐ enabled ☒ disabled

No Answer Number

No Answer Timer sec

☒ ☐ ☐

Apply Cancel Help

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

VoIP

Misc.

SIP Configuration:

☐ Server Configuration ☐ Provisioning ☐ STUN Configuration ☐ User Agent ☐ Peer to Peer ☐ Telephony ☐ Call Forwarding ☒ Speed Dial/Contact List

Speed Dial/Contact List

Speed Dial State ☒ enabled ☐ disabled

Index 1

Dial Code

Phone Number

Description

Apply Cancel Help

Speed Dial List

Index	Dial Code	Phone Number	Description	Edit	Delete
1					
2					
3					

Internet

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home **Advanced** Tools Status Help

VoIP

Misc.

TOS/DiffServ

QoS Type ☒ TOS ☐ DiffServ

Signaling ToS

RTP ToS

Gain Control



Receive Gain (0.5db)



Transmission Gain (0.5db)



  

Apply Cancel Help

Done Internet







http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM RMA

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home Advanced Tools **Status** Help

Device Info

Stats

Diagnostics

Traffic Statistics

Traffic Statistics display Receive and Transmit packets passing through the DPH-C160S.

Refresh Reset

LAN	Receive	Transmit
packets	2829	2312
bytes	413793	1474095
NonUcastPackets	0	28
DiscardPackets	0	0
FrameTooLong	0	0
NonAlignedErrors	0	0
CollisionErrors	0	0
ShortFrames	0	0
CRCErrors	0	0
OverrunPackets	0	0

Phone Port Statistics

Phone Port	1	3
Channel	1	3
RxVoicePackets	0	0
RxMinJitter	0	0
RxMaxJitter	0	0
RxRTPAvgJitter	0	0
RxDTMFPackets	0	0
TxVoicePackets	0	0
TxGrantReSyncCount	0	0
TxDTMFPackets	0	0
MicroOverflowCount	0	0
PktsLostByNetwork	0	0
TxHoldDropCount	0	0
RxHoldDropCount	0	0

Done Internet

http://192.168.0.161/ - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Search

Links CRM

Address http://192.168.0.161/ Go

D-Link

Building Networks for People

DPH-C160S

DECT Cordless IP Phone

Home Advanced Tools **Status** Help

Device Info

Stats

Diagnostics

Diagnostics

This page provides for ping diagnostics to help with IP connectivity problems.

Ping Target

Ping Result

Done Internet