DWL-2000AP+ Screenies
FW: 1.01

Created by: Scott Howell

D-Link
Building Networks for People

AirPlus XTREME G+ ™

High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

Setup Wizard

The setup wizard will guide you through the process of configuring the unit. Please click on the button below to start.

Run Wizard

Help

- Wizard
- Wireless
- LAN
- DHCP

DWL-2000AP+ - Microsoft Internet Explorer

D-Link
Building Networks for People

DWL-2000AP+ Setup Wizard

Welcome to the DWL-2000AP+ Setup Wizard. The Wizard will guide you through these four quick steps. Begin by clicking on **Next.**

Step 1. Set your new password

Step 2. Set the SSID, and Channel

Step 3. Set Encryption

Step 4. Restart

Next **Exit**

DWL-2000AP+ - Microsoft Internet Explorer

D-Link
Building Networks for People

DWL-2000AP+ Setup Wizard

Set Password

You may change the **admin** account password by entering in a new password. Click **Next** to continue.

New Password   ●●●●●●●●●●●●●●●●

Confirm Password   ●●●●●●●●●●●●●●●●

Back **Next** **Exit**

DWL-2000AP+ - Microsoft Internet Explorer

D-Link — *Building Networks for People*

DWL-2000AP+ Setup Wizard

Set Wireless LAN Connection

Enter in the SSID name and Channel number to be used for the Wireless Access Point. Click **Next** to continue.

SSID : default

Channel : 6

Back Next Exit

DWL-2000AP+ - Microsoft Internet Explorer

D-Link — *Building Networks for People*

DWL-2000AP+ Setup Wizard

Setup Encryption

If you wish to use encryption,enable it here and enter the encryption Key values.Click **Next** to continue.

Wep : ○ **Enabled** ◉ **Disabled**

Encryption : 64Bit

WEP Mode :
- 64Bit
- 128Bit
- 256Bit

Key1 : ○

Key2 : ○

Key3 : ○

Key4 : ○

Back Next Exit

DWL-2000AP+ - Microsoft Internet Explorer

DWL-2000AP+ Setup Wizard

Setup Completed

The setup wizard has completed.Click **Back** to modify previous settings.Click **Restart** to save the current settings and reboot the DWL-2000AP+

Back Restart Exit

D-Link
Building Networks for People

AirPlus XTREME G+ ™

High–Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

Wireless Settings

SSID : default

Channel : 6

WEP : ○ Enabled ◉ Disabled

WEP Encryption : 64Bit
- 64Bit
- 128Bit
- 256Bit

Key Type :

Key1 :

Key2 : ○

Key3 : ○

Key4 : ○

✓ Apply   ✗ Cancel   ✚ Help

Wizard

Wireless

LAN

DHCP

D-Link
Building Networks for People

AirPlus XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

LAN Settings

Wizard

Wireless

LAN

DHCP

LAN IP ○ **Dynamic IP Address**
○ **Static IP Address**

IP Address   192.168.0.50

Subnet Mask   255.255.255.0

Gateway   0.0.0.0

✓   ✕   ➕
Apply   Cancel   Help

D-Link
Building Networks for People

AirPlus XTREME G+™

High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

Home	Advanced	Tools	Status	Help

DHCP Server

The DWL-2000AP+ can be setup as a DHCP server to distribute IP addresses to the LAN network.

Wizard	
Wireless	
LAN	
DHCP	

DHCP Server   ○ Enabled   ● Disabled

Starting IP Address   192 . 168 . 0 . 100

Ending IP Address   192 . 168 . 0 . 199

DNS Server   0.0.0.0

Lease Time   1 Hour

✓ Apply   ✗ Cancel   ✚ Help

DHCP Client Table

Host Name	IP Address	MAC Address	Expired Time

D-Link
Building Networks for People

AirPlus XTREME G+™

High–Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | **Advanced** | Tools | Status | Help |

AP Mode

◉ **Access Point**

○ **Wireless Client**   Remote AP MAC   [   ]

○ **Wireless Bridge**   Remote Bridge MAC [   ]

○ **Multi-point Bridge**

✔   ✖   ➕
Apply   Cancel   Help

Mode

Performance

Filters

802.1X

With 8x Mode Enabled

D-Link
Building Networks for People

AirPlus XTREME G+ ™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

Wireless Performance

These are the settings to adjust wireless performance.

Beacon interval : `100` (msec, range:1~1000, default:100)

DTIM interval : `3` (range: 1~255, default:3)

TX Rates : `Auto ▾`

Wireless Mode : ⦿ mixed mode ◯ G mode

Authentication : ⦿ Open System ◯ Shared Key ◯ Auto

SSID Broadcast: ⦿ Enabled ◯ Disabled

8X Mode : ⦿ Enabled ◯ Disabled

✓ Apply ✗ Cancel ✚ Help

- Mode
- Performance
- Filters
- 802.1X

With 8x Mode Disabled

D-Link
Building Networks for People

AirPlus XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

Wireless Performance

These are the settings to adjust wireless performance.

- Mode
- **Performance**
- Filters
- 802.1X

Beacon interval : `100` (msec, range:1~1000, default:100)

RTS Threshold : `2432` (range: 256~2432, default:2432)

Fragmentation : `2346` (range: 256~2346, default:2346, even number only)

DTIM interval : `3` (range: 1~255, default:3)

TX Rates : Auto ⌄

Wireless Mode : ⦿ mixed mode ◯ G mode

Authentication : ⦿ Open System ◯ Shared Key ◯ Auto

SSID Broadcast: ⦿ Enabled ◯ Disabled

8X Mode : ◯ Enabled ⦿ Disabled

Apply Cancel Help

D-Link
Building Networks for People

AirPlus XTREME G+™

High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | **Advanced** | Tools | Status | Help |

MAC Filters

Filters are used to allow or deny Wireless Clients users from accessing the DWL-2000AP+

- ◉ Disabled MAC Filters
- ○ Only **allow** MAC address(es) listed below to connect to DWL-2000AP+
- ○ Only **deny** MAC address(es) listed below to connect to DWL-2000AP+

MAC Address [ ] - [ ] - [ ] - [ ] - [ ] - [ ]   [Clear]

Connected PCs [▾] [Clone]

MAC Filter List   ✓   ✗   ➕
MAC Address   Apply Cancel Help

Mode

Performance

Filters

802.1X

D-Link
Building Networks for People

AirPlus XtremeG+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

Home	**Advanced**	Tools	Status	Help

Mode

Performance

Filters

802.1X

802.1X

○ **Enabled** ● **Disabled**

Encryption Key   Length ● 64 bit   ○ 128 bit

Lifetime | 30 Minutes ▾ |

RADIUS Server 1   IP

| 1 Day |
| 8 Hours |
| 1 Hour |
| 30 Minutes |
| 15 Minutes |
| 5 Minutes |

Port

Shared S

RADIUS Server 2   IP   0.0.0.0
(Optional)

Port   0

Shared Secret

✓   ✗   ✚
Apply   Cancel   Help

D-Link
Building Networks for People

AirPlus XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | **Tools** | Status | Help |

Administrator Settings

New Password   ●●●●●●●●●●●●●●●

Confirm Password   ●●●●●●●●●●●●●●●

✓   ✖   ✚

Apply   **Cancel**   **Help**

- **Admin**
- **System**
- **Firmware**

D-Link
Building Networks for People

AirPlus XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

- **Admin**
- **System**
- **Firmware**

| Home | Advanced | **Tools** | Status | Help |

System Settings

Save Settings to Local Hard Drive

[Save]

Load Settings From Local Hard Drive

[_____] [Browse...]

[Load]

Restore to Factory Default Settings

[Restore]

Help

D-Link
Building Networks for People

AirPlus XTREME G+ ™

High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

Admin

Firmware

| Home | Advanced | **Tools** | Status | Help |

Firmware Upgrade

There may be new firmware for your DWL-2000+ to improve functionality and performance and please check for an upgrade on our support site.

To upgrade the firmware, locate the folder where the firmware was downloaded on the hard drive using the Browse button. Once you have found the file to be used, click the Apply button below to start the firmware upgrade.

Current Firmware Version: 1.01
Firmware Date: Fri, 05 Sep 2003

[   ] [Browse...]

✔ ✖ ➕
Apply Cancel Help

DWL-2000AP+

Home	Advanced	Tools	Status	Help

Device Information

Device Info

Log

Stats

Wireless

Firmware Version **1.01 , Fri, 05 Sep 2003**

Ethernet

MAC Address 00-0d-88-99-39-f8
IP Address 192.168.0.50
Subnet Mask 255.255.255.0
Gateway 0.0.0.0

Wireless

MAC Address 00-0d-88-99-de-82
SSID default
Encryption Function Disabled
Channel 6

Help

D-Link
Building Networks for People

AirPlus XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | **Status** | Help |

View Log

First Page | Last Page | Previous | Next | Clear | Log Settings | ⊕ Help

page 1 of 1

Time	Message
Nov/19/2003 09:18:54	AP mode Ready. Channel : 6 SSID : default
Nov/19/2003 09:18:54	System started

Device Info

Log

Stats

Wireless

Log Settings

D-Link
Building Networks for People

AirPlus
XTREME G+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

| Home | Advanced | Tools | Status | Help |

View Log

Syslog   ○ **Enabled**   ⊙ **Disabled**

Syslog server   0.0.0.0

✓   ✕   ✚
Apply   Cancel   Help

Device Info

Log

Stats

Wireless

D-Link
Building Networks for People

AirPlus XtremeG+™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

Device Info

Log

Stats

Wireless

Home	Advanced	Tools	**Status**	Help

Traffic Statistics

Traffic Statistics display Receive and Transmit Packets Passing through the DWL-2000AP+

Ethernet

Send	Good Packets	4783
	Dropped Packets	0
Recv	Good Packets	8638
	Dropped Packets	0

Wireless

Send	Good Packets	0
	Dropped Packets	0
Recv	Good Packets	3089
	Dropped Packets	0

Help

D-Link
Building Networks for People

AirPlus XTREME G+ ™
High-Speed 2.4GHz Wireless Access Point

DWL-2000AP+

- Device Info
- Log
- Stats
- Wireless

Home	Advanced	Tools	Status	Help

Connected Wireless PCs List

Help

Connected Time	MAC Address

D-Link
Building Networks for People

AirPlus XTREME G+ ™

High-Speed 2.4GHz Wireless Access Point

| Home | Advanced | Tools | Status | Help |

Home
- Setup Wizard
- Wireless Settings
- LAN Settings
- DHCP Server

Advanced
- Mode
- Performance
- Filters
- 802.1X

Tools
- Administrator Settings
- System Settings
- Firmware Upgrade

Status
- Device Information
- Log
- Stats
- Wireless