

D-Link AirPlus G Wireless Utility [X]

▶ Link Info

▶ Configuration

▶ Advanced

▶ Site Survey

▶ About

Status:

SSID:

Frequency:

Wireless Mode:

Encryption:

Connection Info:

Tx Rate:

Channel:

Signal Quality

Signal Strength:

Packet Count

Transmit	Receive
<input type="text" value=">500"/>	<input type="text" value=""/>
<input type="text" value="250"/>	<input type="text" value=""/>
<input type="text" value="0"/>	<input type="text" value=""/>

D-Link AirPlus G Wireless Utility [X]

▶ Link Info

▶ Configuration

▶ Advanced

▶ Site Survey

▶ About

SSID:

Wireless Mode:

Authentication:

Data Encryption:

Key Length:

IEEE802.1X:

1

2

3

4

IP Settings [X]

Obtain an IP Address Automatically

Assign the following IP Address

IP Address

Subnet Mask

Default Gateway

Obtain DNS Server Address Automatically

Use the following DNS Server address

Preferred DNS Server

Alternate DNS Server

Apply with profile proxy

D-Link AirPlus G Wireless Utility [X]

▶ Link Info

▶ Configuration

▶ **Advanced**

▶ Site Survey

▶ About

Frequency

Adhoc Channel

Profile IP Settings

Power Mode

Launch Utility on Startup

Data Packet Parameter

Fragmentation Threshold

RTS Threshold

D-Link AirPlus G Wireless Utility

▶ Link Info
▶ Configuration
▶ Advanced
▶ **Site Survey**
▶ About

Available Network

SSID	MAC(BSSID)	Signal
⌵	00:11:95:DF:6D:E7	34%
⌵	04:11:95:DF:6D:E7	30%
⌵ g604treptest	00:0F:3D:9C:A0:D6	78%

Refresh
Configure
Advanced
Add
Remove
Properties
Connect
Rescan

Profile

- ✖ default

↑
↓

Advanced

Infrastructure and Ad-hoc network
 Infrastructure network only
 Ad-hoc network only
 Automatically connect to non-preferred networks

OK

- ▶ Link Info
- ▶ Configuration
- ▶ Advanced
- ▶ Site Survey
- ▶ About



Copyright 2003 D-Link AirPlus Configuration Utility

Adapter Information

MAC Address	00:15:E9:42:E2:28
Utility Version	V3.00
Driver Version	1.00.01.0000

[secured by Odyssey]