

DCS-2120 Camera Installation

D-Link®

WIRELESS INTERNET CAMERA WITH 3G VIDEO SUPPORT

- Installation Wizard
- IP surveillance
- View QIG
- View Manual
- Extras
- Adobe Reader
- Support



Exit

DCS-2120

InstallShield Wizard



Preparing to Install...

Installation Wizard Setup is preparing the InstallShield Wizard, which will guide you through the program setup process. Please wait.

Configuring Windows Installer



Cancel

InstallShield Wizard



Welcome to the InstallShield Wizard for Installation Wizard

The InstallShield® Wizard will install Installation Wizard on your computer. To continue, click Next.

< Back

Next >

Cancel

InstallShield Wizard

Choose Destination Location

Select folder where Setup will install files.

Setup will install Installation Wizard in the following folder.

To install to this folder, click Next. To install to a different folder, click Browse and select another folder.

Destination Folder

C:\Program Files\D-Link\Installation Wizard\



Browse...

InstallShield


< Back

Next >

Cancel



Start > All Programs > D-Link > Installation Wizard



**D-Link**

Network Camera Installation

Search**A**dd**R**emove**U**ncheck All**L**ink to selected device(s)

Setup

Upgrade

Reset to default

About**E**xit

MAC Address

IP Address

Assigned

Model

Auto IP

**SECURICAM**

**D-Link**

Network Camera Installation

	Search	Add	Remove	Uncheck All	Link to selected device(s)	
	MAC Address	IP Address	Assigned	Model	Auto IP	
Setup	<input type="checkbox"/> 00-0D-88-7D-C7-81	192.168.10.221	Yes	DCS-5300G	Yes	
Upgrade	<input checked="" type="checkbox"/> 00-13-46-DB-32-82	192.168.12.50	Yes	DCS-2120	Yes	
Reset to default						
About						
Exit						



Network Camera Installation

[Previous](#)[Next](#)[Skip](#)[About](#)[Exit](#)

Camera name: DCS-2120

*Blank admin password will disable user authentication

Admin password:

Confirm password:

Date/Time Settings

Date: 2005/07/10

Time: 09:41:00

- ☒ Keep current date and time
- ☐ Synchronize with computer time
- ☐ Manual
- ☐ Automatic





Network Camera Installation

[Previous](#)[Next](#)[Skip](#)[About](#)[Exit](#)☐ Reset IP address at next boot

IP Address: 192 . 168 . 12 . 50

Subnet mask: 255 . 255 . 255 . 0

Default router: 192 . 168 . 12 . 253

Primary DNS: 4 . 2 . 2 . 2

Secondary DNS: 4 . 2 . 2 . 3



Installation Wizard



Network Camera Installation

Previous

Next

Skip

About

Exit

SSID:	<input type="text" value="D-Link_DEMO"/>
Wireless mode:	<input type="text" value="Infrastructure"/>
Channel:	<input type="text" value="6"/>
TX rate:	<input type="text" value="Auto"/>
Security:	<input type="text" value="WPA-PSK"/>
Algorithm	<input type="text" value="AES"/>
Pre-shared key :	<input type="text" value="demoroom"/>



Warning




Any incorrect setting may cause system failure.
Confirm all settings.

OK

Cancel

Video set for Computer viewing:



Video Set for mobile phone viewing:



Address <http://59.154.113.14:8888/>

Go Links >>



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Snapshot

Connection Type

Configuration


DCS-2120(TCP-AV)

2006/07/10 07:36:37



Internet

Connection Type:




Configuration:

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Mail Print W Go Links >>

Address <http://59.154.113.14:8888/>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network**
- Mail/FTP
- DDNS
- Access List
- Audio/Video
- Image Setting
- Motion Detection

Home **Advanced** Tools Status Help

Network settings

General

☒ LAN

☐ Get IP address automatically

☒ Use fixed IP address

IP address

Subnet mask

Default router

Primary DNS

Secondary DNS

☒ Enable UPnP

☐ Enable UPnP port forwarding

☐ PPPoE

User name

Password

Confirm password

HTTP

HTTP port

RTSP streaming

Access name

RTSP port

WLAN configuration

SSID

Wireless mode

Channel

TX rate

Done Internet

D-Link
Building Networks for People**SECURICAM Network**
Wireless Internet Camera with 3G Mobile Video**DCS-2120****Network**

Mail/FTP

DDNS

Access List

Audio/Video

Image Setting

Motion Detection

Home**Advanced****Tools****Status****Help**

User name

Password

Confirm password

HTTP

HTTP port

8888

RTSP streaming

Access name

live.sdp

RTSP port

554

WLAN configuration

SSID

D-Link_DEMO

Wireless mode

Infrastructure ▼

Channel

6 ▼

TX rate

Auto ▼

Security

WPA-PSK ▼

Algorithm

AES ▼

Pre-shared key

demoroom



Apply



Cancel

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites Refresh Mail Print W Yellow Folder People

Address <http://59.154.113.14:8888/> Go Links >>



Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network
- Mail/FTP**
- DDNS
- Access List
- Audio/Video
- Image Setting
- Motion Detection

Home **Advanced** Tools Status Help

Mail & FTP settings

SMTP

Sender email address

Primary email server

1st SMTP (mail) server

1st SMTP account name

1st SMTP password

1st recipient email address

Secondary email server

2nd SMTP (mail) server

2nd SMTP account name

2nd SMTP password

2nd recipient email address

FTP

Local FTP server port number

Primary FTP server

1st FTP server

1st FTP server port

1st FTP user name

1st FTP password

1st FTP remote folder

Secondary FTP server

2nd FTP server

2nd FTP server port

2nd FTP user name

2nd FTP password

2nd FTP remote folder


Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Mail Print Wordpad Find Links

Address <http://59.154.113.14:8888/> Go




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network
- Mail/FTP
- DDNS**
- Access List
- Audio/Video
- Image Setting
- Motion Detection

Home **Advanced** Tools Status Help

DDNS settings

☒ Enable DDNS

Provider Dyndns.org(Dynamic) ▾

Host name

User name

Password



Dyndns.org(Dynamic)

Dyndns.org(Custom)

TZO.com

DHS.org

dyn-interfree.it

Apply Cancel


Done Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Mail Print Wordpad Find Add People

Address <http://59.154.113.14:8888/> Go Links >>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network
- Mail/FTP
- DDNS
- Access List**
- Audio/Video
- Image Setting
- Motion Detection

Home **Advanced** Tools Status Help

Access List settings

Allow list

Start IP address

End IP address

Delete allow list

Allow list

Deny list

Start IP address

End IP address

Delete deny list

Deny list


Done Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites RSS Mail Print W Go Links >>

Address <http://59.154.113.14:8888/>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network
- Mail/FTP
- DDNS
- Access List
- Audio/Video**
- Image Setting
- Motion Detection

Home Advanced Tools Status Help

Audio & Video settings

General

- ☒ Configure for computer viewing
- ☐ Configure for mobile viewing

Video settings

Color COLOR

Frame size 640x480

Power line frequency 50Hz

Max frame rate 25

Key frame interval 60

Video quality control

- ☐ Fixed bit rate 40 Kbps
- ☒ Fixed quality Excellent

Video orientation



- ☐ Flip
- ☐ Mirror

White balance Auto

- ☐ Time stamp on video

Audio settings

- ☒ AAC bit rate 128Kbps
- ☐ GSM-AMR bit rate 12.2Kbps

Apply Cancel


Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Mail Print W Go Links >>

Address <http://59.154.113.14:8888/>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

- Network
- Mail/FTP
- DDNS
- Access List
- Audio/Video**
- Image Setting
- Motion Detection

Home **Advanced** Tools Status Help

Audio & Video settings

General

- ☐ Configure for computer viewing
- ☒ Configure for mobile viewing

Video settings

Color COLOR

Frame size 176x144

Power line frequency 50Hz

Max frame rate 5

Key frame interval 60

Video quality control

- ☒ Fixed bit rate 40 Kbps
- ☐ Fixed quality Excellent

Video orientation



- ☐ Flip
- ☐ Mirror

White balance Auto

- ☐ Time stamp on video

Audio settings

- ☐ AAC bit rate 128Kbps
- ☒ GSM-AMR bit rate 12.2Kbps

Apply Cancel


Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Print Mail W Go Links >>

Address http://59.154.113.14:8888/




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Network

Mail/FTP

DDNS

Access List

Audio/Video


Image Setting

Motion Detection

Home **Advanced** Tools Status Help

Image settings

DCS-2120(TCP-AV) 2006/07/10 07:43:05



Brightness Saturation

Contrast Hue

Done Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back

Search

Favorites

Address

http://59.154.113.14:8888/

Go

Links >>

DCS-2120

Network

Mail/FTP

DDNS

Access List


Audio/Video

Image Setting

Motion Detection

DCS-2120(TCP-AV)

2006/07/10 07:43:51



Window Name:

Sensitivity:0%

Percentage:0%

New

Save

Done

Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail W Yellow Folder People

Address <http://59.154.113.14:8888/> Go Links >>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Admin

System

Applications

Maintenance

Home **Advanced** **Tools** **Status** **Help**

Admin settings

Admin password

* Blank admin password will disable user authentication

Admin password

Confirm password

Add user

User name

User password

Delete user

User name

Snapshot mode

☒ Allow more users with snapshot mode

Snapshot interval second(s)

Done Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail W Go Links >>

Address <http://59.154.113.14:8888/>

D-Link
Building Networks for People

SECURICAM Network
Wireless Internet Camera with 3G Mobile Video

DCS-2120

Admin

System

Applications

Maintenance

Home Advanced Tools Status Help

System settings

Camera name

☐ Turn off the LED indicator

☒ Display number of concurrent users

Time setting

☒ **Keep current date and time**

☐ **Sync with computer time**

PC date: [yyyy/mm/dd]

PC time: [hh:mm:ss]

☐ **Manual**

Date: [yyyy/mm/dd]



Time: [hh:mm:ss]

☐ **Automatic**

NTP server:

Time zone: ▼

Update interval: ▼

Apply Cancel


Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail W Yellow Bookmarks People

Address <http://59.154.113.14:8888/> Go Links >>



Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Admin

System

Applications

Maintenance

Home **Advanced** **Tools** **Status** **Help**

Application settings

Snapshot

☐ Enable snapshot

Weekly schedule

☐ Sun ☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐ Fri ☐ Sat

Time

☒ Always

☐ From to [hh:mm]

Snapshot file name prefix

Trigger

☒ Motion detection

Detect motion in :

Note: Please configure [Motion detection](#) first.

Send pre-event image(s)

Send post-event image(s)

Delay second(s) before detecting the next event

☐ Sequential

Snapshot interval second(s)


Send snapshot by

☒ Email

☐ FTP

☐ FTP put snapshots with date and time suffix

Done Internet




DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia

File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Mail Print W Go Links

Address <http://59.154.113.14:8888/>



Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Device Info

Log

Home **Advanced** **Tools** **Status** **Help**

Device Information

Firmware Version = **0100**

Mac address = **001346DB3282**

IP address = **192.168.12.50**

Subnet mask = **255.255.255.0**

Default router = **192.168.12.253**


Done Internet

DCS-2120 - Microsoft Internet Explorer provided by D-Link Australia


File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites RSS Mail Print W Go Links >>

Address <http://59.154.113.14:8888/>




Building Networks for People



SECURICAM Network

Wireless Internet Camera with 3G Mobile Video



DCS-2120

Device Info

Log

Home **Advanced** **Tools** **Status** **Help**

System log

Remote log

☐ Enable remote log

Log server settings

IP address

port

Current log

```
Jun 29 14:19:12 SYS: Serial number = 001346DB3282
Jun 29 14:19:13 SYS: System starts at Thu Jun 29 14:19:12 CST 2006
Jun 29 14:19:13 NET: === NET INFO ===
Jun 29 14:19:13 NET: Host IP = 192.168.12.50
Jun 29 14:19:13 NET: Subnet Mask = 255.255.255.0
Jun 29 14:19:13 NET: Gateway = 192.168.12.253
Jun 29 14:19:13 NET: Primary DNS = 4.2.2.2
Jun 29 14:19:13 NET: Secondary DNS = 4.2.2.3
```

Done Internet