# **D-Link**<sup>®</sup> DCS-4802E B1 Firmware Release Notes



## Firmware Version: V2.00 Published Date: 2019/4/15

#### **Content:**

Upgrading Instructions	2
New Features	2
Problems Fixed	2
Known Issues	3
Related Documentation	3



#### **Revision History and System Requirement:**

Firmware Version	Date	Model	Hardware Version
V1.00	2015/12/31	DCS-4802E	A1
V1.01	2017/1/17	DCS-4802E	A1
V1.02	2017/9/30	DCS-4802E	A2
V2.00	2019/4/15	DCS-4802E	B1

### Upgrading Instructions:

Follow the steps below to upgrade the firmware:

- 1. Download the latest firmware file to your hard drive from the D-Link website.
- 2. Log-in camera web UI and go to Maintenance/Firmware web page upgrade
- 3. Locate the file (upgraded firmware) on your hard drive by clicking **Choose File**.
- 4. Click **Upload** to upgrade the firmware on your camera.

#### **New Features:**

Fireware Version	New Features
V1.00	1. New model MP FW release
V1.01	1. Support ONVIF test tool V16.07
	1. Support D-Link new XSS Specification 2.0.0.
V1.02	<ol> <li>Support D-Link new rule signing digital signature.</li> <li>Support Japanese language.</li> </ol>
V2.00	1. New GUI (Ver. 3)



## Problems Fixed:

Firmware Version	Problems Fixed
	1. Upgrade OpenSSL 1.0.1t
V1.01	2. Support SHA 256
	3. Fixed Curl-SMTP issue.
	4. Fixed CSRF and Refererissue.
	5. Fixed XSS issue.
	6. Fixed other minorsbugs.
V1.02	Enhancements:
	1. Update html version to v2.02.08_min.
	2. Update copyright information to 2017.
	<ol> <li>Modify ONVIF device information and scope name.</li> <li>Forces the user to change the default password.</li> </ol>
	Problem resolved:
	1. Fixed issue of "Problem with received emails on iOS device- when send email with pictures, they could be loaded automatically in iOS 10 " (D-Track).
	<ol> <li>Fixed issue of "When set HTTP and RTSP port at the same time will reboot" (D-Lab).</li> </ol>
	3. Fixed issue of "When login or edit new password is not encrypted strongly" (D-Lab).

## Known Issues:

Firmware Version	Known Issues
	N/A

## Related Documentation:

N/A