



Configuration examples for the D-Link NetDefend Firewall series



How to enable DHCP service on LAN



This configuration example is based on the following setup:



Step 1. Log into the firewall. The default access to LAN is via <u>https://192.168.10.1</u>. Default username is "admin" and password is "admin".

Step 2. Go to Objects > Address Book. Add objects (IP addresses) for: DHCP IP Range (e.g. 192.168.8.50-192.168.8.100) DHCP Subnet Mask (e.g. 255.255.255.0) Default Gateway (e.g. 192.168.8.1) DNS 1 (e.g. 4.2.2.3) DNS 2 (e.g. 61.88.88.88).

Status System Objects Network Policies							
▼ General			Address				
Address Book	# 🍝	Name					
Services	1	DHCP Dange	192 168 8 50-192 168 8 100				
ALG	· ·	4 DITCF_Range	132.100.0.00-132.100.0.100				
Key Ring	2	DHCP Mask	255.255.255.0 192.168.8.1				
▼ Address Pool							
IP Pools	3	G DHCP_GW					
NAT Pools							
	4	4 DHCP_DNS1	4.2.2.3				
	5	GADHCP_DNS2	61.88.88.88				



Step 3. Go to Network > Network Services > DHCP Servers.

Add a new DHCP Server.

Specify the interface (LAN), IP address pool and Subnet Mask.

	Status System Objects Networ	rk Policies
	Interfaces and VPN Routing Network Services	
2		7
o Servers	General Options Log Setting	IS
^o Relays		-
llaneous	Name: DHCP_on_LAN	
NS	Interface Filter:	
Poster		ter IP Add
	Relay Filter: 0.0.0.0/0 👻	
	IP Address Pool: G DHCP_Range 👻	
	Netmask:	
	Relay Filter: 0.0.0.0/0	

Go to **Options** and specify the Default Gateway and DNS Servers.

General	Options Log Settings			
Default GW:	GA DHCP_GW	-		
Domain:			/	
Lease Time:	86400		seconds	
Primary			Secondary	
DNS:	4 DHCP_DNS1	-	G DHCP_DNS2	-
NBNS/WINS:	(None)	*	(None)	-
Next Server:	(None)			

Step 4. After the configuration is done, click "Configuration" in main bar and select "Save and Activate". Then click OK to confirm. Wait for 15 sec. You will be automatically redirected to the firewall's LAN IP address.

NOTE: If you do not re-login into the firewall within 30 sec, the configuration is reverted to its previous state. The validation timeout can be adjusted under System > Remote Management > Advanced Settings.

		Setup Wizard 🚺 🍄 Configuration 🚺	Notifications 0 2 admin
Status	System	The configuration has been changed.	
Run-time Information M		Save and Activate	
		View Changes	
Save	Configurat	Discard changes	
Save and	activate changes n		
Save and	Activate		
Are you	sure you want to save	e the configuration?	
An admi revert to	nistrator needs to log its previous configura	n within 30 seconds to verify the new configuration. Otherwise the unit will assume tion.	that you accidentally locked yourself out, and
Note: Do configur	ue to configuration cha ation. You will need to	nges the currently active user admin (192.168.10.151) will no longer be automatica manually login with an administrator user account to verify the new configuration.	lly logged on after the activation of the new
			OK Cancel

