

## DGS-3627/3627G Screenshots (1.00.B66)

This screenshot shows the 'Device Information' page of the D-Link DGS-3627 Web Management Tool. The interface includes a top navigation bar with 'D-Link' branding and a left sidebar with a tree view of configuration categories. The main content area displays a table of device details.


Device Information	
Device Type	DGS-3627 Gigabit Ethernet Switch
MAC Address	00:19:5b:14:7c:80
IP Address	10.90.90.91 (Manual)
VLAN Name	default
Subnet Mask	255.0.0.0
Default Gateway	0.0.0.0
Boot PROM Version	Build 1.10-B06
Firmware Version	Build 1.00-B66
Hardware Version	2.A1G
System Name	<input type="text"/>
System Location	<input type="text"/>
System Contact	<input type="text"/>
Spanning Tree	Disabled <a href="#">Detail Setting</a>
Clipping	Enabled
MAC Notification	Disabled <a href="#">Detail Setting</a>
Port Mirror	Disabled <a href="#">Detail Setting</a>
SNTP	Disabled <a href="#">Detail Setting</a>
Bootp Relay	Disabled <a href="#">Detail Setting</a>
DNSR Status	Disabled <a href="#">Detail Setting</a>
VRRP	Disabled <a href="#">Detail Setting</a>
Single IP Management	Disabled <a href="#">Detail Setting</a>
Serial Port Auto Logout	10 Minutes
Serial Port Baud Rate	115200
MAC Address Aging Time (10-1000000)	300
IGMP Snooping	Disabled <a href="#">Detail Setting</a>
IGMP Multicast router Only	Disabled <a href="#">Detail Setting</a>
MLD Snooping	Disabled <a href="#">Detail Setting</a>

This screenshot shows the 'Advanced Settings' page of the D-Link DGS-3627 Web Management Tool. The interface is similar to the previous screenshot, but the main content area displays a table of advanced configuration options.

VRRP	Disabled <a href="#">Detail Setting</a>
Single IP Management	Disabled <a href="#">Detail Setting</a>
Serial Port Auto Logout	10 Minutes
Serial Port Baud Rate	115200
MAC Address Aging Time (10-1000000)	300
IGMP Snooping	Disabled <a href="#">Detail Setting</a>
IGMP Multicast router Only	Disabled <a href="#">Detail Setting</a>
MLD Snooping	Disabled <a href="#">Detail Setting</a>
MLD Multicast router Only	Disabled <a href="#">Detail Setting</a>
GVRP Status	Disabled
Telnet Status	Enabled
Telnet TCP Port Number (1-65535)	23
Web Status	Enabled
Web TCP Port Number(1-65535)	80
RMON Status	Disabled
Link Aggregation Algorithm	IP Source
Switch 802.1x	Disabled
Auth Protocol	RADIUS Eap
HOL Prevention	Enabled
Jumbo Frame	Disabled <a href="#">Maximum frame size: 1536 bytes</a>
Syslog State	Disabled
ARP Aging Time(0-65535)	20
DVMRP State	Disabled <a href="#">Detail Setting</a>
PIM-DM State	Disabled <a href="#">Detail Setting</a>
RIP State	Disabled <a href="#">Detail Setting</a>
OSPF State	Disabled <a href="#">Detail Setting</a>

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



DGS-3627 Web Management Tool

- Administration
  - IP Address
  - Port Configuration
    - Port Description
    - Port Error Disabled
  - User Accounts
  - Port Mirroring
  - System Log Settings
  - System Severity Settings
  - SNTP Settings
  - MAC Notification Settings
  - TFTP Services
  - File System Services
  - Ping Test
  - DHCP Auto Configuration
  - Time Range
  - SNMP Manager
  - IP-MAC Binding
  - Single IP Management Setting
- L2 Features
  - VLAN
    - Static VLAN Entry
    - QVRP Settings
  - Trunking
    - Link Aggregation
    - LACP Port Settings
  - IGMP Snooping
    - IGMP Snooping Setting
    - Router Port Setting
    - Limited Multicast
  - MLD Snooping

D-Link  
Power: 6.75  
Current: 6.26  
Temp: 6.27

Refresh Interval: 30 secs Apply


### IP Address

Get IP From	Manual
IP Address	10.90.90.91
Subnet Mask	255.0.0.0
Default Gateway	0.0.0.0
VLAN Name	<input type="checkbox"/> Default

Apply

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



DGS-3627 Web Management Tool

- Administration
  - IP Address
  - Port Configuration
  - User Accounts
  - Port Mirroring
  - System Log Settings
  - System Severity Settings
  - SNTP Settings
  - MAC Notification Settings
  - TFTP Services
  - File System Services
  - Ping Test
  - DHCP Auto Configuration
  - Time Range
  - SNMP Manager
  - IP-MAC Binding
  - Single IP Management Setting
- L2 Features
  - VLAN
    - Static VLAN Entry
    - QVRP Settings
  - Trunking
    - Link Aggregation
    - LACP Port Settings
  - IGMP Snooping
    - IGMP Snooping Setting
    - Router Port Setting
    - Limited Multicast
  - MLD Snooping
    - MLD Snooping Setting
    - MLD Router Port Setting
  - Spanning Tree

D-Link  
Power: 6.75  
Current: 6.26  
Temp: 6.27

Refresh Interval: 30 secs Apply

### TFTP Services

Operation	Download_Firmware
Server IP Address	Download_Firmware
Local File Name	Download_Configuration
Image File In Flash	Upload_Configuration
Configuration File In Flash	Upload_Log

Start

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/html/main.html

**Port Configuration**

From	To	State	Speed/Duplex	Flow Control	Learning	Medium Type	Apply
Port 1	Port 1	Enabled	Auto	Disabled	Enabled	Copper	Apply

**The Port Information Table**

Port	State	Speed/Duplex	Flow Control	Connection	Learning
1	Enabled	Auto	Disabled	Link Down	Enabled
2	Enabled	Auto	Disabled	Link Down	Enabled
3	Enabled	Auto	Disabled	100M/Full/None	Enabled
4	Enabled	Auto	Disabled	Link Down	Enabled
5	Enabled	Auto	Disabled	Link Down	Enabled
6	Enabled	Auto	Disabled	Link Down	Enabled
7	Enabled	Auto	Disabled	Link Down	Enabled
8	Enabled	Auto	Disabled	Link Down	Enabled
9	Enabled	Auto	Disabled	Link Down	Enabled
10	Enabled	Auto	Disabled	Link Down	Enabled
11	Enabled	Auto	Disabled	Link Down	Enabled
12	Enabled	Auto	Disabled	Link Down	Enabled
13	Enabled	Auto	Disabled	Link Down	Enabled
14	Enabled	Auto	Disabled	Link Down	Enabled
15	Enabled	Auto	Disabled	Link Down	Enabled
16	Enabled	Auto	Disabled	Link Down	Enabled
17	Enabled	Auto	Disabled	Link Down	Enabled
18	Enabled	Auto	Disabled	Link Down	Enabled
19	Enabled	Auto	Disabled	Link Down	Enabled
20	Enabled	Auto	Disabled	Link Down	Enabled
21 (C)	Enabled	Auto	Disabled	Link Down	Enabled
21 (F)	Enabled	Auto	Disabled	Link Down	Enabled
21 (G)	Enabled	Auto	Disabled	Link Down	Enabled

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/html/main.html

**VLAN**

**Add**

**Total Entries: 1**

**Current 802.1Q Static VLANs Entries**

VLAN ID	VLAN Name	Ports	Advertisement	Modify	Delete
1	default	1-27	Enabled	Modify	X

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/html/main.html

**802.1Q Static VLANs**

VID	VLAN Name	Advertisement																							
		Disabled																							
Type	Protocol ID	User Defined Packet ID	Encap																						
	port																								
<b>Port Settings</b>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
<b>Tag</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>None</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Egress</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Forbidden</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Port Settings</b>	26	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Tag</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>None</b>	<input type="checkbox"/>	<input type="checkbox"/>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Egress</b>	<input type="checkbox"/>	<input type="checkbox"/>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Forbidden</b>	<input type="checkbox"/>	<input type="checkbox"/>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[Show All Static VLAN Entries](#)

DGS-3627 - Microsoft Internet Explorer


Address: http://10.90.90.91/html/main.html

**Link Aggregation Group Entries**

Group ID	State	Ports	Modify	Delete
Add				

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



DGS-3627 Web Management Tool

- Administration
- L2 Features
  - VLAN
    - Static VLAN Entry
    - QVFP Settings
  - Trunking
    - Link Aggregation
      - LACP Port Settings
    - IGMP Snooping
      - IGMP Snooping Setting
      - Router Port Setting
      - Limited Multicast
    - MLD Snooping
      - MLD Snooping Setting
      - MLD Router Port Setting
    - Spanning Tree
      - STP Bridge Global Set
      - MST Configuration List
      - MSTP Port Information
      - STP Instance Settings
      - STP Port Settings
    - Forwarding & Filtering
      - Unicast Forwarding
      - Multicast Forwarding
      - Multicast Filtering Mod
  - L3 Features
    - IP Interfaces Settings
    - MDS Key Settings
    - Route Redistribution Set
    - Static/Default Route Setting
    - Route Preference Setting
    - Policy Route Setting

D-Link

Power: 0 25 10-Gig Port  
 Group: 0 26  
 APP: 0 27

Refresh Interval: 30 secs Apply

### Link Aggregation Group Configuration

Group ID:

Type: LACP

State: Disabled

Master Port: Port 1

Member Ports	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Flooding Port:


Apply

Note(1): It is only valid to set up at most 8 member ports of any one trunk group and a port can be a member of only one trunk group at a time.

[Show All Link Aggregation Group Entries](#)

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



DGS-3627 Web Management Tool

- Administration
- L2 Features
  - VLAN
    - Static VLAN Entry
    - QVFP Settings
  - Trunking
    - Link Aggregation
      - LACP Port Settings
    - IGMP Snooping
      - IGMP Snooping Setting
      - Router Port Setting
      - Limited Multicast
    - MLD Snooping
      - MLD Snooping Setting
      - MLD Router Port Setting
    - Spanning Tree
      - STP Bridge Global Set
      - MST Configuration List
      - MSTP Port Information
      - STP Instance Settings
      - STP Port Settings
    - Forwarding & Filtering
      - Unicast Forwarding
      - Multicast Forwarding
      - Multicast Filtering Mod
    - L3 Features
      - IP Interfaces Settings
      - MDS Key Settings
      - Route Redistribution Set
      - Static/Default Route Setting
      - Route Preference Setting
      - Policy Route Setting

D-Link

Power: 0 25 10-Gig Port  
 Group: 0 26  
 APP: 0 27

Refresh Interval: 30 secs Apply

### Link Aggregation Group Configuration

Group ID:

Type: LACP

State: Static

Master Port: Port 1

Member Ports	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Flooding Port:


Apply

Note(1): It is only valid to set up at most 8 member ports of any one trunk group and a port can be a member of only one trunk group at a time.

[Show All Link Aggregation Group Entries](#)

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



Refresh Interval: 30 secs


Total Entries: 1

**IGMP Snooping Settings**

VLAN ID	VLAN Name	State	Querier State	Modify
1	default	Disabled	Disabled	Modify

DGS-3627 - Microsoft Internet Explorer

Address http://10.90.90.91/html/main.html



Refresh Interval: 30 secs


Total Entries: 1

**IP Interface Settings**

Interface Name	IP Address	Subnet Mask	VLAN Name	Secondary	Active	Delete
System	10.90.90.91	255.0.0.0	default	False	Enabled	X

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/html/main.html



Refresh Interval: 30 secs

### Bandwidth Settings


From	To	Type	No Limit	Rate (1-156240)	Apply
Port 1	Port 1	Both	Disabled	1	<input type="button" value="Apply"/>

### Port Bandwidth Table

Port	RX Rate (64Kbit/sec)	TX Rate (64Kbit/sec)
1	No Limit	No Limit
2	No Limit	No Limit
3	No Limit	No Limit
4	No Limit	No Limit
5	No Limit	No Limit
6	No Limit	No Limit
7	No Limit	No Limit
8	No Limit	No Limit
9	No Limit	No Limit
10	No Limit	No Limit
11	No Limit	No Limit
12	No Limit	No Limit
13	No Limit	No Limit
14	No Limit	No Limit
15	No Limit	No Limit
16	No Limit	No Limit
17	No Limit	No Limit
18	No Limit	No Limit
19	No Limit	No Limit
20	No Limit	No Limit
21	No Limit	No Limit
22	No Limit	No Limit
23	No Limit	No Limit
24	No Limit	No Limit
25	No Limit	No Limit
26	No Limit	No Limit

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/html/main.html



Refresh Interval: 30 secs

Total Rule Entries: 0

### Access Profile Table

Profile ID	Type	Access Rule	Display	Delete
------------	------	-------------	---------	--------

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/htm/primary.html

Refresh Interval: 30 secs Apply

### Access Profile Configuration

Profile ID (1-14): 1

Type: Ethernet

VLAN: Ethernet

Source MAC: IPv6: 1-00-00-00-00-00

Destination MAC: 00-00-00-00-00-00

802.1p:

Ethernet type:

Apply

[Show All Access Profile Table Entries](#)

DGS-3627 - Microsoft Internet Explorer

Address: http://10.90.90.91/htm/primary.html

Refresh Interval: 30 secs Apply

[View LineChart](#)

Port: 1 1s OK

Rx Error	Rx Frame
CrcError	0
UnderSize	0
OverSize	0
Fragment	0
Jabber	0
Drop	0
Symbol	0

Applet MultiTables started