

DSL-2740B Click-n-Connect CD 1.31

**D-Link** **DSL-2740B**  
(ADSL 2/2+ 802.11n Wireless Modem/Router)

ADSL2+ COMPLIANT

Also Available...

**DWA-645**  
Wireless PCMCIA Card

**DWA-547**  
Wireless PCI Card

v1.3.1

>>View Manual  
>>View QIG  
>>Install Acrobat Reader  
>>Technical Support

Start Installation

CLOSE

**D-Link** **DSL-2740B**  
(ADSL 2/2+ 802.11n Wireless Modem/Router)

1. Install Device  
2. Internet Settings  
3. Internet Connection

> Power up the device

Plug the power lead in to the device's power jack, and the other end in to a power socket.

Please ensure the status LED on the front of the unit is blinking before clicking the NEXT button.

EXIT << BACK NEXT >>

1. Install Device

- 2. Internet Settings
- 3. Internet Connection

> Connect the device to the computer



Connect the Ethernet cable from any one of the device's LAN ports (numbered 1 to 4) to your computer's Ethernet port



Please ensure the Link LED(s) (1 to 4) on the front of the unit is lit and correspond to the LAN port at the rear before clicking the NEXT button

EXIT

<< BACK

NEXT >>

1. Install Device

- 2. Internet Settings
- 3. Internet Connection

> Connect the device to the ADSL line



Connect the microfilter/splitter (optional on some models) to the **telephone jack**. Connect the device's Line port to the microfilter/splitter **DSL jack**.



Please ensure the **ADSL LED** is lit before clicking the NEXT button

EXIT

<< BACK

NEXT >>

**D-Link**

**DSL-2740B**

(ADSL 2/2+ 802.11n Wireless Modem/Router)

Detecting your Internet connection type.

Please wait a moment...



1. Install Device

2. Internet Settings

3. Internet Connection

> Check device connectivity

**D-Link**

**DSL-2740B**

(ADSL 2/2+ 802.11n Wireless Modem/Router)

Internet connection type successfully detected.

Please prepare the connection information (provided by your ISP) for Internet setup then click on the **NEXT** button below to continue.

1. Install Device

2. Internet Settings

3. Internet Connection

> Check device connectivity

EXIT

NEXT >>

Please choose your country and ISP (Internet Service Provider) from the list below, then click **NEXT** to continue...

Country

ISP

The items below are needed for setting up the device. Do not change the settings unless instructed by your ISP.

Protocol

Encapsulation

VPI: [0-255]

VCI:[32-65535]

EXIT

<<BACK

NEXT >>

- 1. Install Device
  - 2. Internet Settings
  - 3. Internet Connection
- > ISP Configuration

Please enter your account information (provided by your ISP) below, and then click **NEXT** to continue...

Username

Password

Service Name

Use Static IP

EXIT

<<BACK

NEXT >>

- 1. Install Device
  - 2. Internet Settings
  - 3. Internet Connection
- > Account config

You now have the option to add security to you network.  
If you do not want security click **NEXT** now.

Wireless Network Name (SSID)

Please choose a name for your wireless network. This name can be between 1-32 characters long.  
For example: DLINK

Channel

Choose a number from 1-13 to differentiate your wireless channel from other wireless networks in your area.

Network Authentication

- none
- WEP 128bit
- WEP 64bit
- WPA-PSK

This setting will add security to your wireless network, preventing unauthorized wireless user from accessing your network. You can choose 64bit, 128bit or the stronger WPA-PSK encryption.

EXIT

<< BACK

NEXT >>

- 1. Install Device
- 2. Internet Settings
- 3. Internet Connection

> Set wireless connection

You now have the option to add security to you network.  
If you do not want security click **NEXT** now.

Wireless Network Name (SSID)

Please choose a name for your wireless network. This name can be between 1-32 characters long.  
For example: DLINK

Channel

Choose a number from 1-13 to differentiate your wireless channel from other wireless networks in your area.

Network Authentication

Current Network Key

Network Key 1

This setting will add security to your wireless network, preventing unauthorized wireless user from accessing your network. You can choose 64bit, 128bit or the stronger WPA-PSK encryption.

EXIT

<< BACK

NEXT >>

- 1. Install Device
- 2. Internet Settings
- 3. Internet Connection

> Set wireless connection



You now have the option to add security to you network.  
If you do not want security click **NEXT** now.

Wireless Network Name (SSID)

Please choose a name for your wireless network. This name can be between 1-32 characters long.  
For example: DLINK

Channel

Choose a number from 1-13 to differentiate your wireless channel from other wireless networks in your area.


Network Authentication

WPA Pre-Shared Key

This setting will add security to your wireless network, preventing unauthorized wireless user from accessing your network. You can choose 64bit, 128bit or the stronger WPA-PSK encryption.

- 1. Install Device
- 2. Internet Settings
- 3. Internet Connection
  
- > Set wireless connection

**DSL 2740B** ✕

 Please enter a string whose length is between 8 and 63!

The settings are now being saved to your device.

During this time diagnostics will be performed on your router's configuration.



- 1. Install Device
- 2. Internet Settings
- 3. Internet Connection
  
- > Completing setup

**D-Link**

**DSL-2740B**

(ADSL 2/2+ 802.11n Wireless Modem/Router)

We are now checking your Internet connection status.

Please wait...



1. Install Device
  2. Internet Settings
  3. Internet Connection
- > Checking your Internet connection status

**D-Link**

**DSL-2740B**

(ADSL 2/2+ 802.11n Wireless Modem/Router)

**CONGRATULATIONS!**

You have now completed the installation process and you should now be able to access the Internet. Please click on the text below to exit and close the installation utility.



1. Install Device
  2. Internet Settings
  3. Internet Connection
- > Setup complete