How to setup Internet Access Control in my modem Open your Internet browser e.g. Internet Explorer, Firefox, Chrome, Safari, etc. and enter the IP address of your D-Link modem in the **address bar**: http://192.168.1.1.



When prompted type in the Username and Password, and then click on the "Log In" button. If you have not changed the password for the modem administration, the factory settings are:

Username: admin

Password: admin

Product Page : DS	SL-2890AL		Site Map	Firmware Version : AU_1.02.06
				Build Timestamp: 05282014
	9			
	LOGIN			
	Login to the router :			
		User Name : admin Password : Login		
BROADBAI	סח			
		Copyright © 2013-2014 D-Link Corporation. All rights reserv	ved.	

If you cannot recall the password you assigned to your modem you will need to reset the modem to factory defaults by pressing the reset button for 10 seconds. Please note that this will revert all the settings in the modem to factory settings and you will have to reconfigure it with your Internet settings and Wireless security. Make sure you have your Internet account details (given by your Internet Provider) handy.

Step 1. After logging in you will be presented with the modem's configuration pages.Under Maintenance > Time please make sure that your modem's time is set correctly.

DSL-2890AL	SETUP	ADVA	NCED	MA	INTENAN	ICE	STATUS
Arrent	TIME AND DAT	E					
TIME	The Time and D correct time on in and set the N adjust the time	ate Configuration of the internal system TP (Network Time I when needed.	otion allows clock. From Protocol) Se	you to co this secti rver. Day	onfigure, on you c light Savi	update, and m an set the tim ng can also be	naintain the e zone you a configured t
SYSTEM	Save Settings	Don't Save Settings	3				
FIRMWARE			X.				
	— TIME AND DAT	E CONFIGURATION					
DYNAMIC DNS					_		
DYNAMIC DNS DIAGNOSTICS		Time :	2017/03/08	8 10:39:2	1		
DYNAMIC DNS DIAGNOSTICS SCHEDULES		Time :	2017/03/08	8 10:39:2	1	- зушеу	
DYNAMIC DNS DIAGNOSTICS SCHEDULES LOGOUT	Enable	Time : Time Zone : Daylight Saving :	2017/03/08	8 10:39:2	1	o oyuney	>
DYNAMIC DNS DIAGNOSTICS SCHEDULES LOGOUT	Enable I Dayligh	Time : Time Zone : Daylight Saving : t Saving Offset :	2017/03/08	8 10:39:2	1	yuley	>
DYNAMIC DNS DIAGNOSTICS SCHEDULES LOGOUT	Enable I Dayligh Dayligh	Time : Time Zone : Daylight Saving : t Saving Offset : ht Saving Dates :	2017/03/08	8 10:39:2	1 Week	Day of Week	Time
DYNAMIC DNS DIAGNOSTICS SCHEDULES LOGOUT	Enable I Dayligh Dayligh	Time : Time Zone + Daylight Saving : t Saving Offset : at Saving Dates :	2017/03/08	8 10:39:2	1 Week 1st v	Day of Week	<b>Time</b> 12:00 AM ~~

**Step 2.** Go to Maintenance > Schedule: Create a new schedule with the required time frame for blocking Internet access.

890AL	SETUP	ADVANCED	MAINTEN	ANCE S	STATUS			
	SCHEDULES							
	The Schedule conf	iguration option is used to m	anage schedule i	rules for "WAN", "W	/ireless",			
G	"Virtual Server", "P	ort Forwarding", "Application	s" and "Network	Filter".				
SETTINGS	10 ADD SCHED	ULE RULE						
м		Name : block						
IARE		Day(s) : O All Wee	k   Select Dav	(s)				
IIC DNS		Sun 🗹	Mon I Tue	Wed ⊠Thu ⊠F	ri 🗹 Sat			
OSTICS								
ULES	All	Day - 24 hrs :	1					
Л	<u>-</u>	Start Time : 10		ur minute)				
		Find Time : 12 : 0 [AM v (nour:minute)						
		Update	Cancel	anninace)				
	10 SCHEDULE	ROLES LIST						
	Remaining number	of rules that can be created	: 9					
	Name	Day(s)		Time Frame				
	block	SUN, MON, TUE, WE	D, THU, FRI, SAT	10:30 ~ 12:00	ſ			

Step 3. Go to Advanced > Access Control: Add a new Policy (give it a name) and proceed by selecting the schedule you created in Step 2, followed by selecting the Clients you would like to control (block).
 (it is recommended to choose the Client selection by MAC address, unless your Clients are set with static IP addresses or your DHCP server has static entries for these clients).

2890AL	SETUP	ADVANCED	MAINTENANCE		STATUS		HELP
AL SERVER	TEP 3: SELECT MAC	HINE					
ORWARDING			<i></i>				
RIGGERING	elect the machine to	which this policy app	lies.				
	pecify a machine with	its IP or MAC address, or	select 'Other Machin	es' for m	achines that do not h	nave a policy	<i>.</i>
ORK FILTER		Address Type : @	IP OMAC Ooth	er Machi	nes		
S CONTROL		IP Address :		_ <<	Computer Name		~
TE FILTER		Machine Address :			Computer Name		~
			Clone Your PC's MAC Ad	dress			
			CIONE TOULLES MAG AG	ai coo			
ALL SETTINGS			Add Cancel				
ALL SETTINGS	lachine		Add Cancel				
ICED WIRELESS	lachine 92.168.1.4	ja Ja	Add Cancel			<b>s</b>	T
VALL SETTINGS ING ING INCED WIRELESS IS PROTECTED IS ING ING IS ING IS ING IS ING IS ING IS ING IS IS ING IS	<b>lachine</b> 92.168.1.4 92.168.1.3	Ē	Add Cancel			E'	8
ALL SETTINGS NG M ICED WIRELESS 11 ICED NETWORK 11	<b>Jachine</b> 92.168.1.4 92.168.1.3 92.168.1.2		Add Cancel			e e e	8

## **Step 4.** Select your preferred filtering method.

DSL-2890AL	SETUP	ADVANCED	MAINTENANCE	STATUS	HELP
VIRTUAL SERVER	STEP 4: SELECT FIL	TERING METHOD			
PORT FORWARDING					
PORT TRIGGERING	Select the method	for filtering.			
QOS ENGINE		Method :	O Log Web Access Only @	Block All Access O Bloc	k Some Access
NETWORK FILTER		·			
ACCESS CONTROL		Prev	Next Save C	ancel	
WEBSITE FILTER	l				
INBOUND FILTER	-				
FIREWALL SETTINGS					
ROUTING					

Your Policy should look similar to the example below. Click on Save Settings, the modem will need to reboot for the new policy take effect.

IRTUAL SERVER	ACCESS CONTROL								
ORT FORWARDING	The Acce	ess Control op	tion allows you to c	ontrol access in and	out of you	ır network.	Use t	his	
ORT TRIGGERING	feature a time or d	s Access Cont	rols to only grant a	ccess to approved sit is for applications like	tes, limit w P2P utilitie	eb access b	based	on	
OS ENGINE	Save Se	ttings Don	t Save Settings		i Li demen	u u gunu			
ETWORK FILTER									
CCESS CONTROL	ACCESS	CONTROL							
EBSITE FILTER		Enable Acces	ss Control : 🖂						
IBOUND FILTER			Add	Policy					
IREWALL SETTINGS				r oncy					
OUTING	POLICY	TABLE							
OVANCED WIRELESS	TOLICI	21/2			1		11.1.	114	
DVANCED WIRELESS	Enable	Policy	Machine	Filtering	Logged	Schedule			
WANCED WIRELESS I-FI PROTECTED TUP	Enable	Policy	Machine 192.168.1.4,	Filtering	Logged	Schedule		-	
DVANCED WIRELESS I-FI PROTECTED ETUP DVANCED NETWORK	Enable	<b>Policy</b> Block time	Machine 192.168.1.4, 192.168.1.3, 192.168.1.2	Filtering Block All Access	Logged	Schedule	<b>1</b>	9	
DVANCED WIRELESS I-FI PROTECTED TUP DVANCED NETWORK JEST WI-FI	Enable	Policy Block time	Machine 192.168.1.4, 192.168.1.3, 192.168.1.2	Filtering Block All Access	Logged No	Schedule	<b>e</b>	T	
DVANCED WIRELESS VI-FI PROTECTED ETUP DVANCED NETWORK UEST WI-FI PV6 FIREWALL	Enable	Policy Block time ttings Don	Machine 192.168.1.4, 192.168.1.3, 192.168.1.2 t Save Settings	Filtering Block All Access	Logged No	Schedule	ſ	8	