

[D-Link](#) Building Networks for People **GigaExpress**

DGS-1216T

Setup
[Port](#)
[VLAN](#)
[Trunking](#)
[Mirror](#)

Maintenance
[Status](#)
[Statistics](#)
[System](#)
[Trace](#)
[Password](#)
[Backup Settings](#)
[Reset Settings](#)

Login
 System Name :
 Location Name :
 IP Address : 192.168.0.1
 MAC Address : 00-09-89-44-d7-ed
 Password

This page is best viewed at 800x600 with Internet Explorer 5.0+ or Netscape 6.0+

[D-Link](#) Building Networks for People **GigaExpress**

DGS-1216T

Setup
[Port](#)
[VLAN](#)
[Trunking](#)
[Mirror](#)

Maintenance
[Status](#)
[Statistics](#)
[System](#)
[Trace](#)
[Password](#)
[Backup Settings](#)
[Reset Settings](#)

Switch Status

Product Name	DGS-1216T
Firmware Version	1.00
Protocol Version	2.001.001
IP Address	192.168.0.1
Subnet mask	255.255.255.0
Default gateway	192.168.0.254
Tran IP	0.0.0.0
MAC address	00-09-89-44-d7-ed
System Name	
Location Name	
Login Timeout (minutes)	5
System Up Time	0 days 0 hours 3 mins 38 seconds

PORT Status

10/100/1000 Mbps

ID	Speed	Flow Control	QoS	Link Status	ID	Speed	Flow Control	QoS	Link Status
01	Auto	Enable	Normal	100M Full	08	Auto	Enable	Normal	Down
02	Auto	Enable	Normal	Down	09	Auto	Enable	Normal	Down
03	Auto	Enable	Normal	Down	10	Auto	Enable	Normal	Down
04	Auto	Enable	Normal	Down	11	Auto	Enable	Normal	Down
05	Auto	Enable	Normal	Down	12	Auto	Enable	Normal	Down
06	Auto	Enable	Normal	Down	13	Auto	Enable	Normal	Down
07	Auto	Enable	Normal	Down	14	Auto	Enable	Normal	Down

10/100/1000 Mbps

ID	Speed	Flow Control	QoS	Link Status	ID	Speed	Flow Control	QoS	Link Status
15	Auto	Enable	Normal	Down	16	Auto	Enable	Normal	Down

Port-based VLAN Settings

ID	Description	Member
01	Default	01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16

TRUNK Status

ID	Member
01	Disable
02	Disable

- 008-11181
- Setup
 - Port
 - VLAN
 - Trunking
 - Mirror
- Maintenance
 - Status
 - Statistics
 - System
 - Trap
 - Password
 - Backup Setting
 - Reset Setting
- Logout

VLAN Delete

ID	Description	ID	Description
<input type="checkbox"/>	01	Default	

Apply

- 008-11181
- Setup
 - Port
 - VLAN
 - Trunking
 - Mirror
- Maintenance
 - Status
 - Statistics
 - System
 - Trap
 - Password
 - Backup Setting
 - Reset Setting
- Logout

Trunk Setting

The selected trunk port setting must set to the same VLAN Group.

ID	Member
01	Disable
02	Disable

Apply

D-Link Building Networks for People **GigaExpress**

009-1216T

Mirror Setting

ID: 01

Sniffer Mode: Disabled

Sniffer Port: [Dropdown]

Source Port:

01	02	03	04	05	06	07	08	09	10	11	12
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	14	15	16								
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								

Apply

Setup: Port, VLAN, Trunking, Mirror

Maintenance: Status, Statistics, System, Trap, Password, Backup Settings, Reset Settings

Logout

D-Link Building Networks for People **GigaExpress**

009-1216T

Switch Status Refresh

Product Name: D09-1216T
 Firmware Version: 1.00
 Protocol Version: 2.001.001
 IP Address: 192.168.0.1
 Subnet mask: 255.255.255.0
 Default gateway: 192.168.0.254
 Trap IP: 0.0.0.0
 MAC address: 00-06-89-44-07-ed
 System Name:
 Location Name:
 Login Timeout (minutes): 5
 System UpTime: 0 days 0 hours 9 mins 46 seconds

PORT Status

10/100/1000 Mbps

ID	Speed	Flow Control	QOS	Link Status	ID	Speed	Flow Control	QOS	Link Status
01	Auto	Enable	Normal	100M Full	08	Auto	Enable	Normal	Down
02	Auto	Enable	Normal	Down	09	Auto	Enable	Normal	Down
03	Auto	Enable	Normal	Down	10	Auto	Enable	Normal	Down
04	Auto	Enable	Normal	Down	11	Auto	Enable	Normal	Down
05	Auto	Enable	Normal	Down	12	Auto	Enable	Normal	Down
06	Auto	Enable	Normal	Down	13	Auto	Enable	Normal	Down
07	Auto	Enable	Normal	Down	14	Auto	Enable	Normal	Down

10/100/1000 Mbps

ID	Speed	Flow Control	QOS	Link Status	ID	Speed	Flow Control	QOS	Link Status
15	Auto	Enable	Normal	Down	16	Auto	Enable	Normal	Down

Port-based VLAN Settings

ID	Description	Member
01	Default	01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16

TRUNK Status

ID	Member

Setup: Port, VLAN, Trunking, Mirror

Maintenance: Status, Statistics, System, Trap, Password, Backup Settings, Reset Settings

Logout

- 008 -12167
- Setup
- Port
 - VLAN
 - Trunking
 - Mirror
- Maintenance
- Status
 - Statistics
 - System
 - Trap
 - Password
 - Backup Setting
 - Reset Setting
- Logout

Statistics Refresh

ID	Tx OK	Rx OK	Tx Error	Rx Error	ID	Tx OK	Rx OK	Tx Error	Rx Error
10/100/1000 Mbps (Packets)									
01	391	615	0	0	08	0	0	0	0
02	0	0	0	0	09	0	0	0	0
03	0	0	0	0	10	0	0	0	0
04	0	0	0	0	11	0	0	0	0
05	0	0	0	0	12	0	0	0	0
06	0	0	0	0	13	0	0	0	0
07	0	0	0	0	14	0	0	0	0
10/100/1000 Mbps (Packets)									
15	0	0	0	0	16	0	0	0	0

- 008 -12167
- Setup
- Port
 - VLAN
 - Trunking
 - Mirror
- Maintenance
- Status
 - Statistics
 - System
 - Trap
 - Password
 - Backup Setting
 - Reset Setting
- Logout

System Setting

System Name

Location Name

Login Timeout (3 - 30 minutes)

IP Address

IP address

Subnet mask

Gateway

D-Link Building Networks for People GigaExpress

068-12147

Setup

- Port
- VLAN
- Trunking
- Mirror

Maintenance

- Status
- Statistics
- System
- Trap
- Password
- Backup Setting
- Reset Setting

Logout

Trap Setting

Trap IP:

System Events

- device bootup
- illegal login

Fiber Port Events

- link up / link down

Apply

Done

D-Link Building Networks for People GigaExpress

068-12147

Setup

- Port
- VLAN
- Trunking
- Mirror

Maintenance

- Status
- Statistics
- System
- Trap
- Password
- Backup Setting
- Reset Setting

Logout

Password Setting

The maximum length is 20 and is case-sensitive.

Old Password:

New Password:

Re-type New Password:

Apply

OS8 - 12/1/17

D-Link
Building Networks for People

GigaExpress

Backup Setting

Please be aware that the device will reboot after config restore successfully.

Backup current setting to file:

Restore saved setting from file:

Setup

- Port
- VLAN
- Trunking
- Mirror

Maintenance

- Status
- Statistics
- System
- Trap
- Password
- Backup Setting
- Reset Setting

[Logout](#)

Done

http://192.168.0.1/

D-Link
Building Networks for People

GigaExpress

OS8 - 12/1/17

Factory Reset

Please be aware that all configuration will reset to default value.

Setup

- Port
- VLAN
- Trunking
- Mirror

Maintenance

- Status
- Statistics
- System
- Trap
- Password
- Backup Setting
- Reset Setting

[Logout](#)