

# DI-808HV Revision B Firmware 2.00B14 Screenshots

D-Link  
Building Networks for People

## DI-808HV Broadband VPN Router

**Home** Advanced Tools Status Help

### Setup Wizard

The DI-808HV is an Ethernet Broadband VPN Router ideal for home networking and small business networking. The setup wizard will guide you to configure the DI-808HV to connect to your ISP (Internet Service Provider). The DI-808HV's easy setup will allow you to have Internet access within minutes. Please follow the setup wizard step by step to configure the DI-808HV.

**Launch "Run Basic Setup Wizard"** : To help you easily setup up the router to Access internet,you may lanuch the Basic setup wizard.

Run Basic Setup Wizard

**Launch "Run VPN Setup Wizard"** : To help you easily setup up the VPN policy for router,you may lanuch the Access Rule setup wizard.

Run VPN Setup Wizard

Help

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

Welcome to the DI-808HV Setup Wizard. The Wizard will guide you through these four quick steps. Begin by clicking on **Next**.

- Step 1. Set your new password
- Step 2. Choose your time zone
- Step 3. Set Internet connection
- Step 4. Restart

Next    Exit

Done    Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard


### Set Password

You may change the **admin** account password by entering in a new password. Click **Next** to continue.

Old Password

New Password

Reconfirm

Back    Cancel    Next    Exit

javascript:passwd(document.f)    Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer





**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Choose Time Zone

Select the appropriate time zone for your location and click **Next** to continue.

(GMT+10:00)Canberra, Guam, Port Moresby, Vladivostok

Back Cancel Next Exit

javascript:self.close() Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Auto Detecting WAN

Please wait a moment ...

Done Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer





**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Select Internet Connection Type (WAN)

Select the connection type to connect to your ISP. Click **Next** to continue.

<input type="radio"/> Dynamic IP Address	Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)
<input checked="" type="radio"/> Static IP Address	Choose this option to set static IP information provided to you by your ISP.
<input type="radio"/> PPP over Ethernet	Choose this option if your ISP uses PPPoE. (For most DSL users)
<input type="radio"/> Dial-up Network	To surf the Internet via PSTN/ISDN.
<input type="radio"/> Others	PPTP, L2TP and BigPond Cable.

Back Cancel Next Exit

Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer





**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Set Static IP Address

Enter in the static IP information provided to you by your ISP. Click **Next** to continue.

WAN IP Address	<input type="text" value="202.129.109.90"/>
WAN Subnet Mask	<input type="text" value="255.255.255.0"/>
WAN Gateway	<input type="text" value="202.129.109.254"/>
Primary DNS	<input type="text" value="4.2.2.2"/>
Secondary DNS	<input type="text" value="4.2.2.2"/>

Back Cancel Next Exit

Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Setup Complete

The Setup Wizard has completed. Click on **Back** to modify changes or mistakes. Click **Restart** to save the current settings and reboot the DI-808HV.

**Back** **Restart** **Exit**

Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

Welcome to the DI-808HV VPN Setup Wizard. The Wizard will help you easily setup up the VPN policy for router

Choose VPN type

- PPTP
- L2TP
- IPsec

**Next** **Exit**

Done Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Set PPTP Server

Virtual IP of PPTP Server    .1

Tunnel Name

User Name

Password

Back Cancel Next Exit

Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Setup Complete

The Setup Wizard has completed. Click on **Back** to modify changes or mistakes. Click **Restart** to save the current settings and reboot the DI-808HV.

Back Restart Exit

Done Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Set L2TP Server

Virtual IP of L2TP Server    .1

Tunnel Name

User Name

Password

Back Cancel Next Exit

javascript:self.close() Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Setup Complete

The Setup Wizard has completed. Click on **Back** to modify changes or mistakes. Click **Restart** to save the current settings and reboot the DI-808HV.

Back Restart Exit

javascript:restart() Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer


**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard


Welcome to the DI-808HV VPN Setup Wizard. The Wizard will help you easily setup up the VPN policy for router

Choose VPN type

Dynamic IPsec



Static IPsec



Back Next Exit

javascript:self.close() Internet

http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Set Dynamic IPsec

Tunnel Name

IPSec NAT Traversal  Enable

Local Subnet 172.16.10.0

Local Netmask 255.255.255.0

Preshare Key

Back Cancel Next Exit

Internet







# DI-808HV Setup Wizard

## Set Static IPsec - step 1

Method

Tunnel Name

Aggressive Mode  Enable

Local Subnet 172.16.10.0

Local Netmask 255.255.255.0

Remote Subnet

Remote Netmask

Remote Gateway

IKE Keep Alive  
(Ping IP Address)

Preshare Key

IPSec NAT Traversal  Enable

Auto-reconnect  Enable

Remote ID Type

Value

Local ID Type

Value



Back



Cancel



Next



Exit




http://172.16.10.1 - Setup Wizard - Microsoft Internet Explorer

**D-Link**  
Building Networks for People

## DI-808HV Setup Wizard

### Setup Complete

The Setup Wizard has completed. Click on **Back** to modify changes or mistakes. Click **Restart** to save the current settings and reboot the DI-808HV.

Back Restart Exit

Done Internet

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**WAN Settings**

Please select the appropriate option to connect to your ISP.

Dynamic IP Address Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

Static IP Address Choose this option to set static IP information provided to you by your ISP.

PPPoE Choose this option if your ISP uses PPPoE. (For most DSL users)

Dial-up Network To surf the Internet via PSTN/ISDN.

Others WAN Type for PPTP, L2TP and BigPond Cable connect to ISP.

**Dynamic IP Address**

Host Name  (Optional)

MAC Address

Primary DNS Address

Secondary DNS Address

MTU

Auto-reconnect  Enabled  Disabled

Auto-backup  Enabled  Disabled

IGMP  Enabled  Disabled

✔
✘
+

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**WAN Settings**

Please select the appropriate option to connect to your ISP.

Dynamic IP Address Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

Static IP Address Choose this option to set static IP information provided to you by your ISP.

PPPoE Choose this option if your ISP uses PPPoE. (For most DSL users)

Dial-up Network To surf the Internet via PSTN/ISDN.

Others WAN Type for PPTP, L2TP and BigPond Cable connect to ISP.

**Static IP Address**

IP Address

Subnet Mask

ISP Gateway Address

Primary DNS Address

Secondary DNS Address

MTU

WAN Keep-alive  Enabled  Disabled

Auto-backup  Enabled  Disabled

IGMP  Enabled  Disabled

✔
✘
+

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**Home Advanced Tools Status Help**

**WAN Settings**  
Please select the appropriate option to connect to your ISP.

Dynamic IP Address Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)  
 Static IP Address Choose this option to set static IP information provided to you by your ISP.  
 PPPoE Choose this option if your ISP uses PPPoE. (For most DSL users)  
 Dial-up Network To surf the Internet via PSTN/ISDN.  
 Others WAN Type for PPTP, L2TP and BigPond Cable connect to ISP.

**PPP over Ethernet**

Dynamic PPPoE  Static PPPoE  
 User Name   
 Password   
 Retype Password   
 Service Name  (Optional)  
 IP Address   
 Primary DNS Address   
 Secondary DNS Address   
 Maximum Idle Time  minutes  
 MTU   
 Connect mode select  Always-on  Manual  Connect-on-demand  
 Auto-backup  Enabled  Disabled  
 IGMP  Enabled  Disabled

Done

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**Home Advanced Tools Status Help**

**WAN Settings**  
Please select the appropriate option to connect to your ISP.

Dynamic IP Address Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)  
 Static IP Address Choose this option to set static IP information provided to you by your ISP.  
 PPPoE Choose this option if your ISP uses PPPoE. (For most DSL users)  
 Dial-up Network To surf the Internet via PSTN/ISDN.  
 Others WAN Type for PPTP, L2TP and BigPond Cable connect to ISP.

**Dial-up Network**

Dial-up Telephone   
 Dial-up Account   
 Dial-up Password   
 Retype Password   
 Primary DNS   
 Secondary DNS   
 Assigned IP Address  (Optional)  
 Extra Settings   
 Authentication method   
 Maximum Idle Time  Minutes  
 Baud Rate  bps  
 Connect mode select  Always-on  Manual  Connect-on-demand

Done

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

LAN DHCP VPN

Others  
MAIN type for PPTP, L2TP and BigPond Cable connect to ISP.  
 PPTP (for Europe and Russia use only)  
 L2TP (for specific ISPs use only)  
 BigPond Cable (for Australia use only)  
 Russian PPPoE DualAccess(For Russia use only)  
 Russian PPTP DualAccess(For Russia use only)

PPTP  
 Dynamic IP  Static IP

My IP Address 202.129.109.90  
My Subnet Mask 255.255.255.0  
My Gateway 202.129.109.254  
Primary DNS Address 4.2.2.2  
Secondary DNS Address 4.2.2.2  
Server IP/Name  
PPTP Account dlink2@inet.net.au  
PPTP Password  
Retype Password  
Connection ID (Optional)  
Maximum Idle Time 5 minutes  
MTU 1460  
Connect mode select  Always-on  Manual  Connect-on-demand  
Auto-backup  Enabled  Disabled  
IGMP  Enabled  Disabled

Apply Cancel Help

Done

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

DHCP VPN

PPTP (for Europe and Russia use only)  
 L2TP (for specific ISPs use only)  
 BigPond Cable (for Australia use only)  
 Russian PPPoE DualAccess(For Russia use only)  
 Russian PPTP DualAccess(For Russia use only)

L2TP  
 Dynamic IP  Static IP


IP Address 202.129.109.90  
Subnet Mask 255.255.255.0  
Gateway 202.129.109.254  
Primary DNS Address 4.2.2.2  
Secondary DNS Address 4.2.2.2  
Server IP/Name  
L2TP Account dlink2@inet.net.au  
L2TP Password  
L2TP Retype Password  
Maximum Idle Time 5 minutes  
MTU 1460  
Connect mode select  Always-on  Manual  Connect-on-demand  
Auto-backup  Enabled  Disabled  
IGMP  Enabled  Disabled

Apply Cancel Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



**Wizard**

**WAN**

**LAN**

**DHCP**

**VPN**

Please select the appropriate option to connect to your ISP.

Dynamic IP Address Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)  
 Static IP Address Choose this option to set static IP information provided to you by your ISP.  
 PPPoE Choose this option if your ISP uses PPPoE. (For most DSL users)  
 Dial-up Network To surf the Internet via PSTN/ISDN.  
 Others WAN Type for PPTP, L2TP and BigPond Cable connect to ISP.  
 PPTP (for Europe and Russia use only)  
 L2TP (for specific ISPs use only)  
 BigPond Cable (for Australia use only)  
 Russian PPPoE DualAccess(For Russia use only)  
 Russian PPTP DualAccess(For Russia use only)

**Dynamic IP Address for BigPond**

User Name

Password

Retype Password

Login Server IP  (Optional)

Auto-reconnect  Enabled  Disabled

Auto-backup  Enabled  Disabled


IGMP  Enabled  Disabled

Apply  Cancel  Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



Russian PPTP DualAccess(For Russia use only)

**Russian PPP over Ethernet**

Dynamic PPPoE  Static PPPoE

User Name

Password

Retype Password

Service Name  (Optional)

IP Address

MAC Address

Maximum Idle Time

MTU

Connect mode select  Always-on  Manual  Connect-on-demand

Auto-backup  Enabled  Disabled

IGMP  Enabled  Disabled

**WAN Physical Setting ( Set Routing )**

Dynamic IP  Static IP

IP Address

Subnet Mask

Primary DNS Address

Secondary DNS Address

Apply  Cancel  Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address http://172.16.10.1/

Russian PPTP DialAccess (For Russia Use only)

Russian PPTP

Server IPName

Account

Password

Retype Password

Connection ID  (Optional)

MAC Address

Maximum Idle Time

MTU

Connect mode select  Always-on  Manual  Connect-on-demand

Auto-backup  Enabled  Disabled

IGMP  Enabled  Disabled

WAN Physical Setting (Set Routing)

Dynamic IP  Static IP

IP Address

Subnet Mask

Gateway

Primary DNS Address

Secondary DNS Address

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address http://172.16.10.1/

**D-Link**  
Building Networks for People

**DI-808HV**  
Broadband VPN Router

Home **Advanced** Tools Status Help

LAN Settings  
The IP address of the DI-808HV.

IP Address

Subnet Mask

Domain Name

Wizard  
WAN  
**LAN**  
DHCP  
VPN



D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**Home Advanced Tools Status Help**

**DHCP Server**  
The DI-808HV can be setup as a DHCP Server to distribute IP addresses to the LAN network.

DHCP Server  Enabled  Disabled

Starting IP Address 172.16.10.100

Ending IP Address 172.16.10.199

Lease Time 1 WEEK

**Static DHCP**  
Static DHCP is used to allow DHCP server to assign same IP to specific MAC address.

Enabled  Disabled

Name

IP Address 172.16.10.

MAC Address

DHCP Client --select one-- Clone

Apply Cancel Help

**Static DHCP Clients List**

Name	IP Address	MAC Address
<input checked="" type="checkbox"/> demoroom	172.16.10.150	00-0D-88-4C-D4-81

**Dynamic DHCP Clients List**

Host Name	IP Address	MAC Address	Expired Time
inspiron	172.16.10.141	00-14-22-A2-94-69	Tue Dec 04 00:01:41 2007

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**Home Advanced Tools Status Help**

**DHCP Server**  
The DI-808HV can be setup as a DHCP Server to distribute IP addresses to the LAN network.

DHCP Server  Enabled  Disabled

Starting IP Address 172.16.10.100

Ending IP Address 172.16.10.199

Lease Time 1 WEEK

**Static DHCP**  
Static DHCP is used to allow DHCP server to assign same IP to specific MAC address.

Enabled  Disabled

Name

IP Address 172.16.10.

MAC Address

DHCP Client --select one-- Clone

00-14-22-A2-94-69 : 172.16.10.141 (inspiron)

Apply Cancel Help

**Static DHCP Clients List**

Name	IP Address	MAC Address
<input checked="" type="checkbox"/> demoroom	172.16.10.150	00-0D-88-4C-D4-81

**Dynamic DHCP Clients List**

Host Name	IP Address	MAC Address	Expired Time
inspiron	172.16.10.141	00-14-22-A2-94-69	Tue Dec 04 00:01:41 2007

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



**DI-808HV**  
Broadband VPN Router

**Home** **Advanced** **Tools** **Status** **Help**

VPN Settings

**VPN** **WAN** **LAN** **DHCP** **VPN**

Item	Setting
VPN	<input checked="" type="checkbox"/> Enable
NetBIOS broadcast	<input type="checkbox"/> Enable
Max. number of tunnels	2

ID	Tunnel Name	Method
1	DFL-210	IKE More
2	DI-804HV	IKE More
3	rewew	IKE More
4		IKE More
5		IKE More

Previous page Next page

Dynamic VPN Settings... L2TP Server Setting... PPTP Server Setting...


View VPN Status...

Apply Cancel Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



**Wizard** **WAN** **LAN** **DHCP** **VPN**

Item	Setting
Tunnel Name	DFL-210
Aggressive Mode	<input type="checkbox"/> Enable
Local Subnet	172.16.10.0
Local Netmask	255.255.255.0
Remote Subnet	192.168.1.0
Remote Netmask	255.255.255.0
Remote Gateway	202.129.109.91
IKE Keep Alive (Ping IP Address)	
Preshare Key	*****
Extended Authentication (xAUTH)	<input type="checkbox"/> Enable <input type="checkbox"/> Server mode <small>Set Local user...</small> <input checked="" type="checkbox"/> Client mode
User Name	
Password	
IPSec NAT Traversal	<input type="checkbox"/> Enable
Auto-reconnect	<input type="checkbox"/> Enable
Remote ID	Type IP Address Value
Local ID	Type IP Address Value
IKE Proposal Index	Select IKE Proposal...
IPSec Proposal Index	Select IPSec Proposal...

Back Apply Cancel Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address: http://172.16.10.1/

**Wizard**

**WAN**

**LAN**

**DHCP**

**VPN**

Item	Setting
Tunnel Name	DFL-210
Aggressive Mode	<input type="checkbox"/> Enable
Local Subnet	172.16.10.0
Local Netmask	255.255.255.0
Remote Subnet	192.168.1.0
Remote Netmask	255.255.255.0
Remote Gateway	202.129.109.91
IKE Keep Alive (Ping IP Address)	
Preshare Key	*****
Extended Authentication (xAUTH)	<input type="checkbox"/> Enable <input type="checkbox"/> Server mode <input type="button" value="Set Local user..."/> <input type="checkbox"/> Client mode
User Name	<input type="text"/>
Password	<input type="text"/>
IPSec NAT Traversal	<input type="checkbox"/> Enable
Auto-reconnect	<input type="checkbox"/> Enable
Remote ID	Type: IP Address Value: <input type="text"/>
Local ID	Type: FQDN Value: <input type="text"/>
IKE Proposal Index	<input type="button" value="Select IKE Proposal..."/>
IPSec Proposal Index	<input type="button" value="Select IPSec Proposal..."/>

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address: http://172.16.10.1/

**Wizard**

**WAN**

**LAN**

**DHCP**

**VPN**

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

VPN Settings - Tunnel 1 - Set IKE Proposal

Item	Setting
IKE Proposal index	<input style="width: 50px;" type="text" value="1"/> <input type="button" value="Remove"/>

ID	Proposal Name	DH Group	Encrypt algorithm	Auth algorithm	Life Time	Life Time Unit
1	<input style="width: 50px;" type="text" value="1"/>	Group 2	3DES	SHA1	28800	Sec.
2	<input style="width: 50px;" type="text" value="2"/>	Group 2	3DES	MD5	28800	Sec.
3	<input style="width: 50px;" type="text" value="3"/>	Group 2	DES	SHA1	28800	Sec.
4	<input style="width: 50px;" type="text" value="4"/>	Group 2	DES	MD5	28800	Sec.
5	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.
6	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.
7	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.
8	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.
9	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.
10	<input style="width: 50px;" type="text"/>	Group 1	3DES	SHA1	0	Sec.

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

VPN Settings - Tunnel 1 - Set IPSEC Proposal

Item	Setting
IPSec Proposal index	1 <span style="float: right;">Remove</span>

ID	Proposal Name	DH Group	Encap protocol	Encrypt algorithm	Auth algorithm	Life Time	Life Time Unit
1	1	None	ESP	3DES	SHA1	3600	Sec.
2	2	None	ESP	3DES	MD5	3600	Sec.
3	3	None	ESP	DES	SHA1	3600	Sec.
4	4	None	ESP	DES	MD5	3600	Sec.
5		None	ESP	3DES	None	0	Sec.
6		None	ESP	DES	None	0	Sec.
7		None	ESP	DES	None	0	Sec.
8		None	ESP	DES	None	0	Sec.
9		None	ESP	DES	None	0	Sec.
10		None	ESP	DES	None	0	Sec.

Proposal ID -- select one -- Add to Proposal index

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

VPN Settings - Dynamic VPN Tunnel


Item	Setting
Tunnel Name	test
Dynamic VPN	<input checked="" type="checkbox"/> Enable
IPSec NAT Traversal	<input type="checkbox"/> Enable
Local Subnet	172.16.10.0
Local Netmask	255.255.255.0
Preshare Key	
Extended Authentication (xAUTH)	<input type="checkbox"/> Enable Server mode <span>Set Local user...</span>
IKE Proposal index	<span>Select IKE Proposal...</span>
IPSec Proposal index	<span>Select IPSec Proposal...</span>

Back Apply Cancel Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



Building Networks for People

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

VPN Settings - xAUTH - Set local user

ID	User name	Password
1	<input type="text"/>	<input type="text"/>
2	<input type="text"/>	<input type="text"/>
3	<input type="text"/>	<input type="text"/>
4	<input type="text"/>	<input type="text"/>
5	<input type="text"/>	<input type="text"/>
6	<input type="text"/>	<input type="text"/>
7	<input type="text"/>	<input type="text"/>
8	<input type="text"/>	<input type="text"/>
9	<input type="text"/>	<input type="text"/>
10	<input type="text"/>	<input type="text"/>

Wizard

WAN

LAN


DHCP

VPN

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



Building Networks for People

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

VPN Settings - Dynamic VPN Tunnel - Set IKE Proposal

Item	Setting
IKE Proposal index	<div style="display: flex; align-items: center;"> <input style="width: 30px; height: 15px; margin-right: 5px;" type="text"/> <input style="width: 30px; height: 15px; margin-right: 5px;" type="text"/> <input style="width: 30px; height: 15px; margin-right: 5px;" type="text"/> <input style="width: 30px; height: 15px;" type="text"/> <span style="margin-left: 5px;">Remove</span> </div>

ID	Proposal Name	DH Group	Encrypt algorithm	Auth algorithm	Life Time	Life Time Unit
1	<input type="text"/>	Group 2	3DES	SHA1	28800	Sec.
2	<input type="text"/>	Group 2	3DES	MD5	28800	Sec.
3	<input type="text"/>	Group 2	DES	SHA1	28800	Sec.
4	<input type="text"/>	Group 2	DES	MD5	28800	Sec.
5	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.
6	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.
7	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.
8	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.
9	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.
10	<input type="text"/>	Group 1	3DES	SHA1	0	Sec.

Proposal ID -- select one -- Add to Proposal index

Wizard

WAN

LAN

DHCP

VPN

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

### Broadband VPN Router

Home **Advanced** Tools Status Help

VPN Settings - Dynamic VPN Tunnel - Set IPSEC Proposal

IPSec Proposal index

Item	Setting
1	
2	
3	
4	Remove

ID	Proposal Name	DH Group	Encap protocol	Encrypt algorithm	Auth algorithm	Life Time	Life Time Unit
1	1	None	ESP	3DES	SHA1	3600	Sec.
2	2	None	ESP	3DES	MD5	3600	Sec.
3	3	None	ESP	DES	SHA1	3600	Sec.
4	4	None	ESP	DES	MD5	3600	Sec.
5		None	ESP	3DES	None	0	Sec.
6		None	ESP	3DES	None	0	Sec.
7		None	ESP	3DES	None	0	Sec.
8		None	ESP	3DES	None	0	Sec.
9		None	ESP	3DES	None	0	Sec.
10		None	ESP	3DES	None	0	Sec.

Proposal ID -- select one -- Add to Proposal Index

Back Apply Cancel Help

Done

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

### D-Link DI-808HV Broadband VPN Router

Home **Advanced** Tools Status Help

L2TP Server

L2TP Server  Enable

Virtual IP of L2TP Server 10.0.1.1

Authentication Protocol  PAP  CHAP  MSCHAP

MPPE Encryption Mode  Enable

Tunnel Setting

Tunnel Name

User Name

Password

Back Apply Cancel Help


Tunnel Name	User Name	Password

javascript:savechk()

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



**DI-808HV**  
Broadband VPN Router

**Home** **Advanced** **Tools** **Status** **Help**

PPTP Server

Item	Setting
PPTP Server	<input checked="" type="checkbox"/> Enable
Virtual IP of PPTP Server	10.0.0.1
Authentication Protocol	<input type="radio"/> PAP <input type="radio"/> CHAP <input checked="" type="radio"/> MSCHAP
MPPE Encryption Mode	<input checked="" type="checkbox"/> Enable

**Tunnel Setting**

Tunnel Name:

User Name:

Password:

Tunnel Name	User Name	Password

**Wizard**

**WAN**

**LAN**


**DHCP**

**VPN**

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/



**Virtual Server**

**Application**

**Filter**

**Firewall**

**SNMP**

**DDNS**

**Routing**

**DMZ**

**QoS**

**Home** **Advanced** **Tools** **Status** **Help**

Virtual Server

Virtual Server is used to allow Internet users access to LAN services.

Enabled  Disabled

Name:

Private IP: 172.16.10.

Protocol Type:

Private Port:

Public Port:

Schedule:  Always

From Time  To  day  to

Virtual Server List

Name	Private IP	Protocol	Schedule
<input type="checkbox"/> Virtual Server FTP	0.0.0.0	TCP 21 / 21	always
<input type="checkbox"/> Virtual Server HTTP	0.0.0.0	TCP 80 / 80	always
<input type="checkbox"/> Virtual Server HTTPS	0.0.0.0	TCP 443 / 443	always
<input type="checkbox"/> Virtual Server DNS	0.0.0.0	UDP 53 / 53	always
<input type="checkbox"/> Virtual Server SMTP	0.0.0.0	TCP 25 / 25	always
<input type="checkbox"/> Virtual Server POP3	0.0.0.0	TCP 110 / 110	always
<input type="checkbox"/> Virtual Server Telnet	0.0.0.0	TCP 23 / 23	always
<input type="checkbox"/> IPSec	0.0.0.0	TCP 500 / 500	always
<input type="checkbox"/> PPTP	0.0.0.0	TCP 1723 / 1723	always
<input type="checkbox"/> DCS 800 DCS 1000	0.0.0.0	TCP 80 / 80	always

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

- Virtual Server
- Application
- Filter
- Firewall
- SNMP
- DDNS
- Routing
- DMZ
- QoS

### Special Application

Special Application is used to run applications that require multiple connections.

Enabled  Disabled

Name:

Trigger Port:  -

Trigger Type:

Public Ports:

Public Type:

TCP  
 UDP  
 Both

Name	Trigger	Public Port		
<input type="checkbox"/> Battle.net	6112	6112		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> Dialpad	7175	51200-51201,51210		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> ICU II	2019	2000-2038,2050-2051,2069,2085,3010-3030		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> MSN Gaming Zone	47624	2300-2400,28800-29000		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> PC-to-Phone	12053	12120,12122,24150-24220		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> QuickTime	554	6970-6999		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> DVC-1000 I2eye	1720	15328-15333		<input type="button" value="Edit"/> <input type="button" value="Delete"/>

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

- Virtual Server
- Application
- Filter
- Firewall
- SNMP
- DDNS
- Routing
- DMZ
- QoS

### Filter

Filters are used to allow or deny LAN users from accessing the Internet.

IP Filters  URL Blocking  IPsec Filter

MAC Filters  Domain Blocking

#### IP Filter

Use IP Filters to deny LAN IP addresses to access the Internet.

Enabled  Disabled

IP Address:  -

Port Range:  -

Protocol:

Schedule:  Always

From Time :  To :

day  to

IP Range	Protocol	Schedule		
<input type="checkbox"/> *	TCP 20-21	always		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> *	TCP 80	always		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> *	TCP 443	always		<input type="button" value="Edit"/> <input type="button" value="Delete"/>
<input type="checkbox"/> *	UDP 53	always		<input type="button" value="Edit"/> <input type="button" value="Delete"/>



D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Filter**

Filters are used to allow or deny LAN users from accessing the Internet.

IP Filters  
  URL Blocking  
  IPsec Filter  
 MAC Filters  
  Domain Blocking

**URL Blocking**

Block those URLs which contain keywords listed below.

Enabled    Disabled

- Empty -  
 DELETE

✔ Apply
✘ Cancel
✚ Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Filter**

Filters are used to allow or deny LAN users from accessing the Internet.

IP Filters  
  URL Blocking  
  IPsec Filter  
 MAC Filters  
  Domain Blocking

**IPsec Filters**

Use MAC address to allow or deny computers to access the IPsec Tunnel.

Disabled IPsec Filters  
 Only **allow** computers with MAC address listed below to access the IPsec Tunnel  
 Only **deny** computers with MAC address listed below to access the IPsec Tunnel

Name

MAC Address -----

DHCP Client

✔ Apply
✘ Cancel
✚ Help

**IPsec Filter List**

Name	MAC Address

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Filter**

Filters are used to allow or deny LAN users from accessing the Internet.

IP Filters  
  URL Blocking  
  IPsec Filter  
 MAC Filters  
  Domain Blocking

**MAC Filters**

Use MAC address to allow or deny computers to access the network.

Disabled MAC Filters  
 Only **allow** computers with MAC address listed below to access the network  
 Only **deny** computers with MAC address listed below to access the network

Name

MAC Address

DHCP Client -- select one -- Clone

✔ ✘ +

**Apply   Cancel   Help**

**MAC Filter List**

Name	MAC Address

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Filter**

Filters are used to allow or deny LAN users from accessing the Internet.

IP Filters  
  URL Blocking  
  IPsec Filter  
 MAC Filters  
 Domain Blocking

**Domain Blocking**

Disabled  
 **Allow** users to access all domains except "Blocked Domains".

**Blocked Domains**

- Empty -
DELETE

**Deny** users to access all domains except "Permitted Domains".

**Permitted Domains**

- Empty -
DELETE

✔ ✘ +

**Apply   Cancel   Help**

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Firewall Rules**

Firewall Rules can be used to allow or deny traffic from passing through the DI-808HV.

Enabled  Disabled

Name:

Action:  Allow  Deny

Interface:  IP Start:  IP End:  Protocol:  Port Range:

Source:  Destination:  TCP

Schedule:  Always

From Time: [00]:[00] To [00]:[00] day: [Sun] to [Sun]

Action Name	Source	Destination	Protocol
<input checked="" type="checkbox"/> Allow block	LAN,172.16.10.15	WAN,*	*,1-65535
<input checked="" type="checkbox"/> Allow Ping WAN port	WAN,*	WAN,*	ICMP,*
<input checked="" type="checkbox"/> Deny Default	**	LAN,*	**
<input checked="" type="checkbox"/> Allow Default	LAN,*	**	**

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Firewall Rules**

Firewall Rules can be used to allow or deny traffic from passing through the DI-808HV.

Enabled  Disabled

Name:

Action:  Allow  Deny

Interface:  IP Start:  IP End:  Protocol:  Port Range:

Source:  Destination:  TCP

Schedule:  Always

From Time: [00]:[00] To [00]:[00] day: [Sun] to [Sun]

Action Name	Source	Destination	Protocol
<input checked="" type="checkbox"/> Allow block	LAN,172.16.10.15	WAN,*	*,1-65535
<input checked="" type="checkbox"/> Allow Ping WAN port	WAN,*	WAN,*	ICMP,*
<input checked="" type="checkbox"/> Deny Default	**	LAN,*	**
<input checked="" type="checkbox"/> Allow Default	LAN,*	**	**


D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address http://172.16.10.1/

## D-Link Building Networks for People

### DI-808HV Broadband VPN Router

**Home Advanced Tools Status Help**



Virtual Server

Application

Filter

Firewall

SNMP

DDNS

Routing

DMZ

QoS

#### Firewall Rules

Firewall Rules can be used to allow or deny traffic from passing through the DI-808HV.

Enabled  Disabled

Name:

Action:  Allow  Deny

Interface:  IP Start:  IP End:  Protocol:  Port Range:

Source:  Destination:

Schedule:  Always  From Time :00 To :00 day  to

Action Name	Source	Destination	Protocol
<input checked="" type="checkbox"/> Allow block	LAN,172.16.10.15	WAN,*	*,1-65535
<input checked="" type="checkbox"/> Allow Ping WAN port	WAN,*	WAN,*	ICMP,*
<input checked="" type="checkbox"/> Deny Default	*,*	LAN,*	*,*
<input checked="" type="checkbox"/> Allow Default	LAN,*	*,*	*,*


D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

Address http://172.16.10.1/

## D-Link Building Networks for People

### DI-808HV Broadband VPN Router

**Home Advanced Tools Status Help**



Virtual Server

Application

Filter

Firewall

SNMP

DDNS

Routing

DMZ

QoS

#### SNMP

Use Simple Network Management Protocol(SNMP) for DI-808HV management purposes.

SNMP Local:  Enabled  Disabled

SNMP Remote:  Enabled  Disabled

Get Community:

Set Community:

IP 1:

IP 2:

IP 3:

IP 4:

SNMP Version:  V1  V2c

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**D-Link**  
Building Networks for People

**DI-808HV**  
Broadband VPN Router

Home **Advanced** Tools Status Help

Dynamic DNS  
Use Dynamic DNS if you want to use your DDNS account.

DDNS  Disabled  Enabled

Provider

Host Name

Username / E-mail

Password / Key

Apply  Cancel  Help

Virtual Server  
Application  
Filter  
Firewall  
SNMP  
**DDNS**  
Routing  
DMZ  
QoS

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**D-Link**  
Building Networks for People

**DI-808HV**  
Broadband VPN Router

Home **Advanced** Tools Status Help

Dynamic DNS  
Use Dynamic DNS if you want to use your DDNS account.

DDNS  Disabled  Enabled

Provider

Host Name

Username / E-mail

Password / Key

Apply  Cancel  Help

Virtual Server  
Application  
Filter  
Firewall  
SNMP  
**DDNS**  
Routing  
DMZ  
QoS

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Routing Table**

Use the Routing Table for routing purposes within your local network.

Dynamic Routing  Disable  RIPv1  RIPv2

Enable	Destination	Subnet Mask	Gateway
<input type="checkbox"/>	<input style="width: 80%;" type="text"/>	<input style="width: 80%;" type="text"/>	<input style="width: 80%;" type="text"/>

✔ Apply
✘ Cancel
+ Help

**Routing Table List**

Enable	Destination	Subnet Mask	Gateway

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**DMZ**

DMZ(Demilitarized Zone) is used to allow a single computer on the LAN to be exposed to the Internet.

Enabled  Disabled

IP Address

✔ Apply
✘ Cancel
+ Help

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

### Broadband VPN Router

Home **Advanced** Tools Status Help

QoS Control  
QoS Control allow users to control network traffic with different priority.

Physical Port  Network Port

Enabled  Disabled

Priority

PORT 1 Normal  
PORT 2 Normal  
PORT 3 Normal  
PORT 4 Normal  
PORT 5 Normal  
PORT 6 Normal  
PORT 7 Normal  
PORT 8 Normal

Apply Cancel Help

Done

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

### D-Link Building Networks for People

### DI-808HV Broadband VPN Router

Home **Advanced** Tools Status Help

QoS Control  
QoS Control allow users to control network traffic with different priority.

Physical Port  Network Port

Enabled  Disabled

Enabled  Disabled

Name  << Select Application >>

Priority High

IP Start IP End Protocol Port Range

LAN Interface   --  -

WAN Interface

Schedule  Always

From Time 00:00 To 00:00  
day Sun to Sun

Apply Cancel Help

QoS Rules List

Name	Priority	LAN IP Range	WAN IP Range	LAN Protocol/Ports	WAN Protocol/Ports
<input checked="" type="checkbox"/> FTP	Low	172.16.10.150	*	*:21	*:21

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

### Broadband VPN Router

Home
Advanced
Tools
Status
Help

**QoS Control**

QoS Control allow users to control network traffic with different priority.

Physical Port  Network Port

Enabled  Disabled

Name  Select Application

Priority High Select Application

IP Start  IP End  Port Range

LAN Interface  WAN Interface

Schedule  Always  From

Time 00:00 day Sun to Sun

✔
✘
+

**Apply** **Cancel** **Help**

**QoS Rules List**

Name	Priority	LAN IP Range	WAN IP Range	LAN Protocol/Ports	WAN Protocol/Ports
<input checked="" type="checkbox"/> FTP	Low	172.16.10.150	*	*:21	*:21

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

### Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Administrator Settings**

Administrators can change their login password.

Administrator (The Login Name is "admin")

Old Password

New Password

Reconfirm Password

User (The Login name is "user")

New Password

Reconfirm Password

**Remote Management**

Let administrator perform administration task from remote host.

Enabled  Disabled

IP Address

Port

✔
✘
+


**Apply** **Cancel** **Help**




D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**DI-808HV**  
Broadband VPN Router

[Home](#) [Advanced](#) [Tools](#) [Status](#) [Help](#)

  
[Admin](#)  
[Time](#)  
[System](#)  
[Firmware](#)  
[Misc](#)

**Time**

Set the DI-808HV system time.

Device Time : Tue Nov 27 00:33:11 2007

Enable NTP

Default NTP Server  
ntp1.dlink.com ntp1.dlink.com




Time Zone  
(GMT+10:00)Canberra, Guam, Port Moresby, Vladivostok

Set Device Date and Time

Year: 2007 Month: Nov Day: 27  
Hour: 00 Minute: 00 Second: 00

Daylight Saving  
 Enable  Disable


Start Jan 01 End Jan 01

    
Apply Cancel Help


D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**DI-808HV**  
Broadband VPN Router

[Home](#) [Advanced](#) [Tools](#) [Status](#) [Help](#)


  
[Admin](#)  
[Time](#)  
[System](#)  
[Firmware](#)  
[Misc](#)

**System Settings**

Save Settings To Local Hard Drive  
[Backup Setting](#)

Load Settings From Local Hard Drive  
 [Browse...](#)  
[Load](#)


Restore To Factory Default Settings  
[Reset to Default](#)

  
Help


D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**DI-808HV**  
Broadband VPN Router

**Home** **Advanced** **Tools** **Status** **Help**



**Admin**

**Time**

**System**

**Firmware**

**Misc**

**Firmware Upgrade**

There may be new firmware for your DI-808HV to improve functionality and performance. [Click here to check for an upgrade on our support site.](#)  
The upgrade procedure takes about 20 seconds. Note! Do not power off the unit when it is being upgraded. When the upgrade is done successfully, the unit will be restarted automatically.


**Current Firmware Version: Pre V2.00b14**  
**Firmware Date: Tue, Nov 27 2007**

**Apply** **Cancel** **Help**


D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

**DI-808HV**  
Broadband VPN Router

**Home** **Advanced** **Tools** **Status** **Help**



**Admin**

**Time**

**System**

**Firmware**

**Misc**

**Ping Test**

Ping Test is used to send "Ping" packets to test if a computer is on the Internet.

Host Name or IP address

**Restart Device**

Reboots the DI-808HV.

**Block WAN Ping**

When you "Block WAN Ping", you are causing the public WAN IP address on the DI-808HV to not respond to ping commands. Finging public WAN IP addresses is a common method used by hackers to test whether your WAN IP address is valid.

Discard PING from WAN side  Enabled  Disabled

**SPI mode**

You can setup this item if you want to enable SPI mode.

 Enabled  Disabled

**DoS Protection** Enabled  Disabled

**UPnP Setting**

You can disable or enable UPnP functions at anytime.

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Device Information**

Firmware Version: Pre V2.00b14, Tue, Nov 27 2007

---

**LAN**

MAC Address 00-13-46-DD-4B-19  
 IP Address 172.16.10.1  
 Subnet Mask 255.255.255.0  
 DHCP Server Enabled

---

**WAN**

MAC Address 00-13-46-DD-4B-18  
 Connection Static IP  
 IP Address 202.129.109.90  
 Subnet Mask 255.255.255.0  
 Gateway 202.129.109.254  
 Domain Name Server 4.2.2.2, 4.2.2.2

---

**Peripheral**

Dial-up Modem Not ready

Device Time: Tue Nov 27 00:33:58 2007

Help

http://172.16.10.1/status.htm

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**View Log**

View Log displays the activities occurring on the DI-808HV. Click on Log Settings for advance features.

First Page
Last Page
Previous
Next
Clear
Log Settings

Page 1/6

---

WAN Type: Static IP Address (Pre V2.00b14)  
 Display time: Tuesday November 27, 2007 00:34:03

```

Tuesday November 27, 2007 00:29:45 Send IKE (INFO) : delete 202.129.109.90 ->
202.129.109.92 phase 1
Tuesday November 27, 2007 00:29:45 IKE phase1 (ISAKMP SA) remove : 202.129.109.90 <->
202.129.109.92
Tuesday November 27, 2007 00:29:45 Send IKE M1 (INIT) : 202.129.109.90 ->
202.129.109.92
Tuesday November 27, 2007 00:29:52 Send IKE (INFO) : delete 202.129.109.90 ->
202.129.109.92 phase 1
Tuesday November 27, 2007 00:29:52 IKE phase1 (ISAKMP SA) remove : 202.129.109.90 <->
202.129.109.92
Tuesday November 27, 2007 00:29:52 Send IKE M1 (INIT) : 202.129.109.90 ->
202.129.109.92
Tuesday November 27, 2007 00:29:59 Send IKE (INFO) : delete 202.129.109.90 ->
202.129.109.92 phase 1
Tuesday November 27, 2007 00:29:59 IKE phase1 (ISAKMP SA) remove : 202.129.109.90 <->
202.129.109.92
Tuesday November 27, 2007 00:29:59 Send IKE M1 (INIT) : 202.129.109.90 ->
202.129.109.92
Tuesday November 27, 2007 00:30:06 Send IKE (INFO) : delete 202.129.109.90 ->
202.129.109.92 phase 1
Tuesday November 27, 2007 00:30:06 IKE phase1 (ISAKMP SA) remove : 202.129.109.90 <->
                
```

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**Traffic Statistics**  
Traffic Statistics display Receive and Transmit packets passing through the DI-808HV.

Refresh    Reset

	Receive	Transmit
WAN	0 Packets	0 Packets
LAN	1785 Packets	1775 Packets

Help

Device Info

Log

Stats

VPN Status

Active Sessions

http://172.16.10.1/stats.htm

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://172.16.10.1/

## DI-808HV

Broadband VPN Router

Home
Advanced
Tools
Status
Help

**VPN Status**  
VPN status display VPN connection state.

IPSec     PPTP     L2TP

Refresh    VPN setting...

Name	Remote Network IP Address/ Subnet Mask/ Gateway	Local Network IP Address/ Subnet Mask	Type	State	Life Time	Drop
DS-601	0.0.0.0/ 255.255.255.255/ 255.255.255.255	172.16.10.0/ 255.255.255.0		Dynamic IPSec	0	
DFL-210	192.168.1.0/ 255.255.255.0/ 202.129.109.91	172.16.10.0/ 255.255.255.0		Idle	0	Reconnect
DI-804HV	192.168.0.0/ 255.255.255.0/ 202.129.109.92	172.16.10.0/ 255.255.255.0		Establishing	0	Drop

Device Info

Log

Stats

VPN Status


Active Sessions

D-Link DI-808HV Web Configuration - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites

Address http://172.16.10.1/ Go Links



**DI-808HV**  
Broadband VPN Router

**Home Advanced Tools Status Help**

Active sessions  
Active sessions displays the current status of NAT active sessions on the DI-808HV.

First Page Last Page Previous Next Refresh

Page 1/1

Internal	Prot.	External	NAT	Time-out
172.16.10.141:1047	UDP	4.2.2.2:53	57278	153

Device Info  
Log  
Stats  
VPN Status  
Active Sessions

Help

Internet