

D-Link DWL-1000AP Management (version 1.0.0) - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Media Print Settings

Address <http://192.168.0.150/framework/base.shtml> Go

D-Link® D-Link Wireless Access Point

DWL-1000AP

DEVICE INFORMATION

[Settings Summary](#)

CONFIGURATION

[Wireless Settings](#)

SECURITY

[Access Control List](#)
(Security Against Unauthorized Network Access)

[WEP Encryption](#)
(Security Against Eavesdropping)

[Administration](#)
(Security Against Unauthorized Configuration)

Settings Summary

SSID (Service Set ID):	default
IP Address:	192.168.0.150
Subnet Mask:	255.255.255.0
Default Gateway:	192.168.0.225
MAC Address:	00:05:5D:F2:52:42
Firmware Version:	3.2.31
Access Control:	Unknown clients are accepted
Eavesdropping Mode:	WEP security is disabled
Location:	<input type="text" value="unknown"/>
Contact:	<input type="text" value="unknown"/>

Internet

D-Link DWL-1000AP Management (version 1.0.0) - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Media Print Mail

Address http://192.168.0.150/framework/base.shtml Go

D-Link® D-Link Wireless Access Point DWL-1000AP

DEVICE INFORMATION

[Settings Summary](#)

CONFIGURATION

[Wireless Settings](#)

SECURITY

[Access Control List](#)
(Security Against Unauthorized Network Access)

[WEP Encryption](#)
(Security Against Eavesdropping)

[Administration](#)
(Security Against Unauthorized Configuration)

Wireless Settings

SSID (Service Set ID):

Channel:

High Rate: ☐

This page contains identification and channel settings for the Access Point:

- SSID (Service Set ID): name or identification of the wireless local network that wireless clients can access.
- Channel: the selected channel that the Access Point uses to transmit and receive data. The default setting is channel 6.
- High Rate: for wireless clients capable of high rate, a 5% increase is possible in terms of throughput.

Done Internet





