




http://192.168.10.59 - DWL-G810 - Microsoft Internet Explorer pro...

D-Link
Building Networks for People

DWL-G810 Setup Wizard

Set Password

You may change the **admin** account password by entering in a new password. Click **Next** to continue.

New Password

Confirm Password

Back Next Exit

Done Internet

http://192.168.10.59 - DWL-G810 - Microsoft Internet Explorer pro...

D-Link
Building Networks for People

DWL-G810 Setup Wizard

Set Wireless LAN Connection

Choose the Operating mode and enter in the SSID name and Channel number to be used for the Wireless Access Point. Click **Next** to continue.

Operating Mode : ☐ Ad-hoc ☒ Infrastructure

SSID :

Channel : (for ad-hoc mode only)

Back Next Exit

Done Internet

http://192.168.10.59 - DWL-G810 - Microsoft Internet Explorer pro...

D-Link
Building Networks for People

DWL-G810 Setup Wizard

Setup Encryption

If you wish to use encryption,enable it here and enter the encryption Key values.Click **Next** to continue.

Wep : ☐ Enabled ☒ Disabled

Encryption : 64Bit

WEP Mode : HEX

Key1 : ☒

Key2 : ☐


Key3 : ☐


Key4 : ☐

Back Next Exit

Done Internet







Home

Network

Wireless

Admin

Help

Setup Wizard

The setup wizard will guide you to configure the DWL-G810. The DWL-G810's easy setup will allow you to have wireless access within minutes.

Please follow the setup wizard step by step to configure the DWL-G810.

[Run Wizard](#)

Device Information

Firmware Version **3.11, 24 Aug 2005**

Ethernet

■ MAC Address	0011951766f5	■ Send	Good Packets 3
■ IP Address	192.168.10.59		Dropped Packets 0
■ Subnet Mask	255.255.255.0	■ Receive	Good Packets 8
■ Gateway	0.0.0.0		Dropped Packets 0

Wireless

■ SSID	default	■ Send	Good Packets 0
■ Encryption Function	Disabled		Dropped Packets 2
■ Channel	6	■ Receive	Good Packets 0
■ AP mode	Infrastructure		Dropped Packets 0



Help



Home

Network

Wireless

Admin

Help

IP Address Settings

- LAN IP ☐ Dynamic IP Address
 ☒ Static IP Address

■ IP Address

■ Subnet Mask

■ Gateway



Apply



Cancel



Help



Home

Network

Wireless

Admin


Help

Wireless Settings

- Operating Mode : ☐ Ad-hoc ☒ Infrastructure
- AP Name :
- SSID :
- Channel : (for ad-hoc mode only)
- Authentication : ☒ Open System ☐ Shared Key ☐ WPA-PSK
- WEP : ☐ Enabled ☒ Disabled
- WEP Encryption :
- WEP Mode :
- Key1 : ☒
- Key2 : ☐
- Key3 : ☐
- Key4 : ☐
- TX Rates : (Mbps)
- Super G :
- Disabled
Super G without Turbo
Super G with Dynamic Turbo



Apply Cancel Help



The screenshot shows the same web browser window, but now displaying a table of detected networks. The table has four columns: BSS, SSID, WEP, and Channel. Each row has a radio button in the first column. At the bottom right of the table area, there are two circular icons (one blue with a white 'e', one red with a white 'i') and the text 'Connect Exit'. The browser's status bar at the bottom shows 'Internet'.

	BSS	SSID	WEP	Channel
☐	00-15-e9-79-52-48	testnet	Disable	1
☐	00-11-95-df-6d-e7		WEP	1
☐	04-11-95-df-6d-e7		WEP	1
☐	00-0f-3d-fd-c4-6d		WEP	1
☐	00-0f-3d-9c-a0-d6	DLINK	Disable	6
☐	00-0f-3d-28-d7-b7	demoroom	WPA TKIP	6
☐	00-0d-88-ad-e3-72	default	Disable	6
☐	00-11-95-9d-72-3a	G604T	WPA TKIP	6
☐	00-11-95-cc-d5-67	demoroom	WEP	11
☐	00-13-46-9a-13-a0		WPA TKIP	13
☐	00-40-05-27-a8-ae	SCANNER	WEP	9



Home

Network

Wireless

Admin

Help

Wireless Settings

- Operating Mode : ☐ Ad-hoc ☒ Infrastructure
- AP Name :
- SSID :
- Channel : (for ad-hoc mode only)
- Authentication : ☐ Open System ☐ Shared Key ☒ WPA-PSK
- Passphrase :
- Confirmed Passphrase :
- TX Rates : (Mbps)
- Super G :
Disabled
Super G without Turbo
Super G with Dynamic Turbo



Apply Cancel Help



Home

Network

Wireless

Admin

Help

Wireless Settings

- Operating Mode : ☒ Ad-hoc ☐ Infrastructure
- AP Name :
- SSID :
- Channel : (for ad-hoc mode only)
- Authentication : ☒ Open System ☐ Shared Key ☐ WPA-PSK
- WEP : ☒ Enabled ☐ Disabled
- WEP Encryption :
- WEP Mode :
- Key1 : ☒
- Key2 : ☐
- Key3 : ☐
- Key4 : ☐
- TX Rates : (Mbps)
- Super G:

☒ ☐ ☐
Apply Cancel Help



Home

Network

Wireless

Admin

Help

Administrator Settings

■ New Password

.....

■ Confirm Password

.....

Apply

Cancel

System Settings

■ Save Settings to Local Hard Drive

Save

■ Load Settings From Local Hard Drive

.....

Browse...

Load

■ Restore to Factory Default Settings

Restore

Firmware Upgrade

■ Current Firmware Version: 3.11

■ Firmware Date: 24 Aug 2005

.....

Browse...



Apply Cancel Help



Home

Network

Wireless

Admin

Help

Home

- [Setup Wizard](#)
- [Device Information](#)

Network

- [Dynamic IP Address](#)
- [Static IP Address](#)
- [Subnet Mask](#)
- [Gateway](#)

Wireless

- [Operating Mode](#)
- [AP Name](#)
- [SSID](#)
- [Channel](#)
- [Authentication](#)
- [WPA-PSK](#)
- [WEP](#)
- [WEP Mode](#)
- [KEYS](#)
- [Transmission \(TX\) Rates](#)
- [Super G](#)

Admin

- [Administrator Settings](#)
- [System Settings](#)
 - [Save Settings](#)
 - [Load Settings](#)
 - [Restore Default Settings](#)
- [Firmware Upgrade](#)